SOUTHERN PACIFIC COMPANY

(PACIFIC SYSTEM.)

125

TIME TABLE

FOR THE

SACRAMENTO DIVISION

To Take Effect Sunday, November 14, 1926, at 12:01 A. M.

PACIFIC STANDARD TIME (120th MERIDIAN)

For the government and information of employes only, and not intended for the use of the public.

J. H. DYER,
General Manager

F. L. BURCKHALTER,
First Assistant General Manager

R. L. RUBY,
Superintendent of Transportation

T. AHERN,
Assistant General Manager

W. L. HACK,
Superintendent

EASTWARD

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths.	THIRD CLASS									FIRST CLASS										Distance from San Francisco		STATIONS
	230	256	222	308	306	280	276	254	262	6	2	20	58	34	28	56	24	16	10			
	Nevada Mdse.	Sunset Manifest	Portland Fast Freight	Local Freight	Local Freight	Freight	Freight	Ogden Manifest	Freight	Nevada Express	San Francisco Overland Limited	Pacific Limited	Sacramento Gerber Passenger	Sacramento Colfax Motor	Gold Coast Limited	Sacramento Gerber Passenger	Tonopah Express	Oregon Express	Atlantic Express			
	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Lv. Mon. Wed. & Fri.	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily			
Term Yard BKWFTYP	6.45PM		8.40AM							10.55PM	9.25PM	7.35PM	4.50PM	3.40PM	2.45PM	10.35AM	7.30AM	1.40AM	1.15AM	88.8	Block Signals	TO-R SACRAMENTO 3.0
Yard IY P		8.50AM	8.55					11.00AM		11.07	9.37	7.47	5.02	f3.52	2.57	10.47	7.42	1.52	1.27	91.8		ELVAS 1.7
PW													f5.04	f3.55		f10.49	f 7.45			93.5		TO SWANSTON 1.4
85 P								11.20		11.11	9.42	7.52	5.06	f3.57	3.02	10.51	f	1.57	1.31	94.9		BENALI 7.9
60 P										11.21	9.52	8.02	5.15	s4.07	3.12	11.00	f 7.58	2.07	1.40	102.8		ANTELOPE 3.0
Term Yard BKTWFPY	7.30PM	10.00AM	10.15AM		4.00AM	9.00PM	3.30PM	12.05PM 2.30	2.30AM											105.8		TO-R ROSEVILLE YARD 0.8
										s11.35	10.05	s 8.15	s5.20PM	s4.15	3.25	s11.05AM	s 8.10	s 2.15AM	s 1.50	106.6		ROSEVILLE 4.0
Yard P					4.15									s4.25			s 8.20		s 2.00	110.6		TO ROCKLIN 4.9
65					See Page 3.					f11.55PM	10.21	8.32		See page 3.	3.42		See page 3.		2.12	115.5		LINCOLN AV., PENRYN 4.7
84 WP					6.50	10.00	4.20	3.30	3.30	s12.10AM	10.31	f 8.43		s5.05	3.53		s 8.55		s 2.30	120.2		TO NEWCASTLE 4.0
78 WP					7.50			4.02		s12.25	10.40	s 8.52		s5.20	4.02		s 9.07		s 2.45	124.2		AUBURN, NEVADA ST. 4.9
68 P					8.20		5.00	5.00		12.35	10.49	9.02		f5.30	4.12		f 9.18		2.55	129.1		BOWMAN 2.3
														f5.40			f			131.4		CLIPPER GAP 2.9
78 PW					9.05	10.58		5.50		12.47	10.58	9.13		s5.50	4.23		f 9.33		3.08	134.3		EAST APPLEGATE 3.4
75 P					9.30		5.58	6.32						s5.58			s 9.40		3.15	137.7		N. E. MILLS 4.0
Yard YPWBK				7.00AM	9.55AM	11.59PM	6.20	7.00	5.30	s 1.05 1.15	11.20	s 9.35		s6.10PM	4.45		s10.00		s 3.25 3.45	141.7		TO-R COLFAX 4.3
60 P										1.29	11.34	9.49		See Note	4.59		f10.15		4.00	146.0		CAPE HORN 6.2
125 PWFY				8.15		1.10AM	7.25	8.30	6.45	1.50	11.50PM	10.10			5.20		s10.35		s 4.25	152.2		TO GOLD RUN 1.9
6 PSpur																	s		s	154.1		DUTCH FLAT 1.9
4 PSpur																	s		s	156.0		ALTA 0.8
5 Spur PW				9.00						2.07	12.03AM	10.25			5.35		s10.52		s 4.48	156.8		TO TOWLE 2.8
															s		s			159.6		AMERICAN 1.1
65 P				9.30						2.23	12.18	10.43			5.53		f11.10		5.05	160.7		MIDAS 2.3
10 Spur PW																	f			163.0		FOREBAY 1.8
70 P				10.00		2.35		10.57		2.35		10.57								164.8		KNAPP 0.7
PTW				10.10AM		2.40AM	9.05PM	11.05PM	8.15AM	f 2.40AM	12.35AM	11.00PM			6.10PM		s11.30AM		f 5.25AM	165.5 166.6		TO BLUE CANON
	Ar. Daily Ex. Sunday	Arrive Daily	Arrive Daily	Ar. Mon. Wed. & Fri.	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(76.7)
	(0.45)	(1.10)	(1.35)	(3.10)	(5.55)	(5.40)	(5.35)	(9.40)	(5.45)	(3.35)	(3.10)	(3.25)	(0.30)	(2.30)	(3.25)	(0.30)	(4.00)	(0.35)	(3.50)			....................Time over District
	25.80	9.20	10.95	7.64	6.06	10.53	13.70	8.04	10.38	21.40	24.74	22.77	35.60	21.16	22.44	35.60	19.17	30.51	20.00			....................Average speed per hour

No. 4 Track between Rocklin and Loomis will be used exclusively by Nos. 24, 34 and 306; by other trains only when authorized by train order.

Eastward trains to use siding at Clipper Gap, back in through cross-over near east end of siding.

Eastward trains authorized to use No. 1 Track between Loomis and Newcastle may proceed on No. 1 Track to the first cross-over switch located east of the station building at Newcastle.

The schedule of No. 34 terminates at the passenger station Colfax.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS				
Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
28	Any Station	Receive	Cheyenne	
20	Any Station	Receive	Ogden	
10	Any Station	Receive	Ogden	
34	Roseville High School	Receive		
2	Any Station	Receive	Cheyenne or East	

Additional Stations: Walerga 99.4; Enwood 107.9; Lander 139.0; Magra 148.5; Gorge 158.6.

EASTWARD			WESTWARD																					
			Time Table No. 125 November 14, 1926	Distance from Blue Canon	FIRST CLASS										THIRD CLASS									Capacity of Sidings in Car Lengths.
306	24	34			13	5	19	1	9	33	27	23	15	55	305	331	333	253	335	319	337	257	307	
Local Freight	Tonopah Express	Sacramento Colfax Motor			San Francisco Express	Nevada Express	Pacific Limited	San Francisco Overland Limited	Fast Mail	Colfax Sacramento Motor	Gold Coast Limited	Sparks San Francisco Passenger	Southern California Express	Gerber Sacramento Passenger	Local Freight	Tracy Freight	Tracy Freight	Ogden Manifest	Tracy Freight	Freight	Tracy Freight	Sunset Manifest	Local Freight	
Lv. Daily Ex. Sunday	Leave Daily	Leave Daily	STATIONS		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Tues., Thur. & Sat.	
			TO-R SACRAMENTO	77.1	s 3.40AM	s 4.05AM	s 4.50AM	s 5.40AM	s 5.55AM	s 9.25AM	s 10.50AM	s 2.00PM	s 2.05PM	s 6.30PM						5.00PM				Term. Yard WFTYPBK
			3.0 ELVAS	74.1	3.28	3.53	4.38	5.28	5.43	9.13	10.38	1.48	1.53	6.18		1.40AM	7.25AM	8.30AM	3.00PM	4.45	8.45PM	11.40PM		PIY Yard
			1.7 TO SWANSTON	72.4						f		s		6.15										WP
			1.4 BENALI	71.0	3.22	3.47	4.32	5.22	5.37	f 9.09	10.32	f 1.42	1.47	6.12										P 85
			7.9 ANTELOPE	63.1	3.12	3.37	4.22	5.12	5.27	s 8.59	10.22	f 1.32	1.37	6.02										P 60
			3.0 TO-R ROSEVILLE YD.	60.1											4.00PM	1.00AM	6.45AM	8.00 6.00	2.20PM	4.00PM	8.05PM	11.00PM		Term. Yard TFWYPBK
			0.8 ROSEVILLE	59.3	3.05AM	s 3.30	4.15	5.05	5.20	s 8.50	10.15	s 1.25	1.30PM	5.55PM										
4.15AM	s 8.20AM	s 4.25PM	4.0 TO ROCKLIN	55.3		f 3.13				s 8.39		f 1.12			3.40									P Yard
5.04 5.20	s 8.30	s 4.37	3.3 TO LOOMIS	52.0		f 3.05	3.57	4.49	5.04	s 8.30	9.59	s 1.05			2.43			5.20						P 94
6.10 6.30	s 8.40	s 4.50	2.7 TO PENRYN	49.3		f 2.58				s 8.23		s 12.59			2.07									P 51
6.50AM	s 8.55AM	s 5.05PM	3.0 TO NEWCASTLE	46.3		s 2.50	f 3.45	4.38	4.52	s 8.15	9.47	s 12.52			1.30			4.52						WP 73
			4.0 FLINT	42.3																				P 73
			0.9 TO AUBURN	41.4		s 2.35	f 3.34	4.26	4.41	s 8.00	9.36	s 12.40			12.40PM			4.26						WP 50
			3.9 BOWMAN	37.5		2.23	3.25	4.18	4.33	f 7.49	9.28	f 12.28												P 78
			2.5 CLIPPER GAP	35.0						f 7.42		f												P 58
			3.0 WEST APPLEGATE	32.0		f 2.10	3.14	4.05	4.22	s 7.35	9.15	f 12.15PM												WP 51
			3.2 N. E. MILLS	28.8						s 7.28		f												Spur P 57
			5.0			[illegible]	[illegible]	[illegible]	[illegible]	7.15AM	s 8.55	s 11.55AM			9.10AM			2.57					2.00PM	YWPBK Yard
												37												P 62
												23											1.30PM	WFYP 65
																								Spur P 6
																								Spur P 4
												09												WP Spur 5
												56						12.52AM						P 68
																								WP Spur 10
																								P 70
												.45AM						11.45PM					11.45AM	PTW
												Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Tues. Thurs. & Sat.	
												15) 72	(0.35) 30.51	(0.35) 30.51	(6.50) 9.06	(0.40) 21.00	(0.40) 21.00	(6.45) 10.97	(0.40) 21.00	(1.00) 17.00	(0.40) 21.00	(0.40) 21.00	(2.15) 12.05	

Block Signals

No. 1 Track

The above schedules are shown only for information and have no time-table superiority between Loomis and Newcastle, but will be known by their numbers and handled only

ainst them, must not

ignal.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
13	Any Station	Discharge		Lincoln
55	Any Station	Discharge		Lincoln
15	Any Station	Discharge		Lincoln
1	Any Station	Discharge		Cheyenne
5	Any Station	Discharge		Sparks
19	Any Station	Discharge		Sparks
33	Roseville High School	Discharge		

EASTWARD

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths.	THIRD CLASS									FIRST CLASS										Distance from San Francisco	STATIONS
	230	256	222	308	306	280	276	254	262	6	2	20	58	34	28	56	24	16	10		
	Nevada Mdse.	Sunset Manifest	Portland Fast Freight	Local Freight	Local Freight	Freight	Freight	Ogden Manifest	Freight	Nevada Express	San Francisco Overland Limited	Pacific Limited	Sacramento Gerber Passenger	Sacramento Colfax Motor	Gold Coast Limited	Sacramento Gerber Passenger	Tonopah Express	Oregon Express	Atlantic Express		
	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Lv. Mon. Wed. & Fri.	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		
Term Yard BKWFTYP	6.45PM		8.40AM							10.55PM	9.25PM	7.35PM	4.50PM	3.40PM	2.45PM	10.35AM	7.30AM	1.40AM	1.15AM	88.8	TO-R SACRAMENTO 3.0
Yard IY P		8.50AM	8.55					11.00AM		11.07	9.37	7.47	5.02	f3.52	2.57	10.47	7.42	1.52	1.27	91.8	ELVAS 1.7
PW													f5.04	f3.55		f10.49	f 7.45			93.5	TO SWANSTON 1.4
85 P								11.20		11.11	9.42	7.52	5.06	f3.57	3.02	10.51	f	1.57	1.31	94.9	BENALI 7.9
60 P										11.21	9.52	8.02	5.15	s4.07	3.12	11.00	f 7.58	2.07	1.40	102.8	ANTELOPE 3.0
Term Yard BKTWFPY	7.30PM	10.00AM	10.15AM		4.00AM	9.00PM	3.30PM	12.05PM 2.30	2.30AM											105.8	TO-R ROSEVILLE YARD 0.8
										s11.35	10.05	s 8.15	s5.20PM	s4.15	3.25	s11.05AM	s 8.10	s 2.15AM	s 1.50	106.6	ROSEVILLE 4.0
Yard P					4.15									s4.25			s 8.20		s 2.00	110.6	TO ROCKLIN 4.9
65					See Page 3.					f11.55PM	10.21	8.32		See page 3.	3.42		See page 3.		2.12	115.5	LINCOLN AV., PENRYN 4.7
84 W P					6.50	10.00	4.20	3.30	3.30	s12.10AM	10.31	f 8.43		s5.05	3.53		s 8.55		s 2.30	120.2	TO NEWCASTLE 4.0
78 W P					7.50			4.02		s12.25	10.40	s 8.52		s5.20	4.02		s 9.07		s 2.45	124.2	AUBURN, NEVADA ST. 4.9
68 P					8.20		5.00	5.00		12.35	10.49	9.02		f5.30	4.12		f 9.18		2.55	129.1	BOWMAN 2.3
														f5.40			f			131.4	CLIPPER GAP 2.9
78 PW					9.05	10.58		5.50		12.47	10.58	9.13		s5.50	4.23		f 9.33		3.08	134.3	EAST APPLEGATE 3.4
75 P					9.30		5.58	6.32						s5.58			s 9.40		3.15	137.7	N. E. MILLS 4.0
Yard YPWBK				7.00AM	9.55AM	11.59PM	6.20	7.00	5.30	s 1.05 1.15	11.20	s 9.35		s6.10PM	4.45		s10.00		s 3.25 3.45	141.7	TO-R COLFAX 4.3
60 P										1.29	11.34	9.49		See Note	4.59		f10.15		4.00	146.0	CAPE HORN
125 PWFY				8.15		1.10AM	7.25	8.30	6.45	1											
6 PSpur																					
4 PSpur																					
5 Spur PW				9.00						2											
65 P				9.30						2											
10 Spur PW																					
70 P				10.00		2.35		10.57		2											
PTW				10.10AM		2.40AM	9.05PM	11.05PM	8.15AM	f 2											
	Ar. Daily Ex. Sunday	Arrive Daily	Arrive Daily	Ar. Mon. Wed. & Fri.	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar D											
	(0.45) 25.80	(1.10) 9.20	(1.35) 10.95	(3.10) 7.64	(5.55) 6.06	(5.40) 10.53	(5.35) 13.70	(9.40) 8.04	(5.45) 10.38	(3. 21.											

Block Signals

No. 2 Track

No. 4 Track between Rocklin and Loomis will be used exclusively by Nos. 24

Eastward trains to use siding at Clipper Gap, back in through cross-over near east end of siding.

Eastward trains authorized to use No. 1 Track between Loomis and Newcastle may proceed on N

The schedule of No. 34 terminates at the passenger station Colfax.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
28	Any Station	Receive	Cheyenne	
20	Any Station	Receive	Ogden	
10	Any Station	Receive	Ogden	
34	Roseville High School	Receive		
2	Any Station	Receive	Cheyenne or East	

Additional Stations: Wa

R L Ruby

SOUTHERN PACIFIC COMPANY
(Pacific Lines)

TRAINMEN,
ENGINEMEN.

Effective at once and continuing until further advised, it will not be necessary for train #28 to stop at American account of darkness.

Sacramento, Calif.
November 22nd, 1926.

W. L. Hack,
Superintendent.

File No. 520-311.
BULLETIN NO. 65.
TIMETABLE NO. 125.

EASTWARD

WESTWARD

Time Table No. 125

November 14, 1926

					FIRST CLASS										THIRD CLASS									
306	24	34		Distance from Blue Canon	13	5	19	1	9	33	27	23	15	55	305	331	333	253	335	319	337	257	307	Capacity of Sidings in Car Lengths.
Local Freight	Tonopah Express	Sacramento Colfax Motor			San Francisco Express	Nevada Express	Pacific Limited	San Francisco Overland Limited	Fast Mail	Colfax Sacramento Motor	Gold Coast Limited	Sparks San Francisco Passenger	Southern California Express	Gerber Sacramento Passenger	Local Freight	Tracy Freight	Tracy Freight	Ogden Manifest	Tracy Freight	Freight	Tracy Freight	Sunset Manifest	Local Freight	
Lv. Daily Ex. Sunday	Leave Daily	Leave Daily	STATIONS Block Signals No. 1 Track		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Tues., Thur. & Sat.	
			TO-R SACRAMENTO 3.0	77.1	s 3.40AM	s 4.05AM	s 4.50AM	s 5.40AM	s 5.55AM	s 9.25AM	s 10.50AM	s 2.00PM	s 2.05PM	s 6.30PM						5.00PM				Term. Yard WFTYPBK
			ELVAS 1.7	74.1	3.28	3.53	4.38	5.28	5.43	9.13	10.38	1.48	1.53	6.18		1.40AM	7.25AM	8.30AM	3.00PM	4.45	8.45PM	11.40PM		PIY Yard
			TO SWANSTON 1.4	72.4						f		s		6.15										WP
			BENALI 7.9	71.0	3.22	3.47	4.32	5.22	5.37	f 9.09	10.32	f 1.42	1.47	6.12										P 85
			ANTELOPE 3.0	63.1	3.12	3.37	4.22	5.12	5.27	s 8.59	10.22	f 1.32	1.37	6.02										P 60
			TO-R ROSEVILLE YD. 0.8	60.1											4.00PM	1.00AM	6.45AM	8.00 6.00	2.20PM	4.00PM	8.05PM	11.00PM		Term. Yard TFWYPBK
			ROSEVILLE 4.0	59.3	3.05AM	s 3.30	4.15	5.05	5.20	s 8.50	10.15	s 1.25	1.30PM	5.55PM										
4.15AM	s 8.20AM	s 4.25PM	TO ROCKLIN 3.3	55.3		f 3.13				s 8.39		f 1.12			3.40									P Yard
5.04 5.20	s **8.30**	s 4.37	TO LOOMIS 2.7	52.0		f 3.05	3.57	4.49	**5.04**	s **8.30**	9.59	s 1.05			2.43			5.20						P 94
6.10 6.30	s 8.40	s 4.50	TO PENRYN 3.0	49.3		f 2.58				s 8.23		s 12.59			2.07									P 51
6.50AM	s 8.55AM	s 5.05PM	TO NEWCASTLE 4.0	46.3		s 2.50	f 3.45	4.38	**4.52**	s 8.15	9.47	s 12.52			1.30			4.52						WP 73
			FLINT 0.9	42.3																				P 73
			TO AUBURN 3.9	41.4		s 2.35	f 3.34	**4.26**	4.41	s 8.00	9.36	s **12.40**			12.40PM			4.26						WP 50
			BOWMAN 2.5	37.5		2.23	3.25	4.18	4.33	f 7.49	9.28	f 12.28												P 78
			CLIPPER GAP 3.0	35.0						f 7.42		f												P 58
			WEST APPLEGATE 3.2	32.0		f 2.10	3.14	4.05	4.22	s 7.35	9.15	f 12.15PM												WP 51
			N. E. MILLS 5.0	28.8						s 7.28		f												Spur P 57
			TO-R COLFAX 4.3	23.8		s 1.50	s **2.57**	3.45	4.05	7.15AM	s 8.55	s 11.55AM			9.10AM			2.57					2.00PM	YWPBK Yard
			CAPE HORN 6.2	19.5		1.32	2.42	3.29	3.52	See Note	8.40	f 11.37												P 62
			TO GOLD RUN 1.9	13.3		f 1.17	2.28	3.15	3.38		8.26	f 11.23											1.30PM	WFYP 65
			DUTCH FLAT 1.9	11.4								f												Spur P 6
			ALTA 0.8	9.5		f						f												Spur P 4
			TO TOWLE 2.8	8.7		f 1.03	2.18	3.04	3.28		8.16	f 11.09												WP Spur 5
			AMERICAN 1.1	5.9							s	s												
			MIDAS 2.3	4.8		**12.52**	2.09	2.51	3.19		8.04	f 10.56						12.52AM						P 68
			FOREBAY 1.8	2.5								f												WP Spur 10
			KNAPP 0.7	0.7																				P 70
			TO- BLUE CANON	0.0		12.40AM	1.58AM	2.40AM	3.05AM		7.52AM	10.45AM						11.45PM					11.45AM	PTW
Ar. Daily Ex. Sunday	Arrive Daily	Arrive Daily	(77.1)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Tues. Thurs. & Sat.	
			Time over District		(0.35)	(3.25)	(2.52)	(3.00)	(2.50)	(2.10)	(2.58)	(3.15)	(0.35)	(0.35)	(6.50)	(0.40)	(0.40)	(6.45)	(0.40)	(1.00)	(0.40)	(0.40)	(2.15)	
			Average speed per hour		30.51	22.56	26.89	25.70	27.21	23.83	25.98	23.72	30.51	30.51	9.06	21.00	21.00	10.97	21.00	17.00	21.00	21.00	12.05	

The above schedules are shown only for information and have no time-table superiority between Loomis and Newcastle, but will be known by their numbers and handled only by train orders between Loomis and Newcastle.

Westward trains receiving orders at, or east of Newcastle moving an eastward train from Loomis to Newcastle against them, must not pass east cross-over switch at Newcastle until opposing trains on No. 1 Track have arrived.

Westward trains must stop east of east cross-over switch at Newcastle unless they receive a proceed train-order signal.

The schedule of No. 33 originates at the passenger station Colfax.

Nos. 24, 34, and 306 will use No. 4 Track Rocklin to Loomis.

Additional Stations: Gorge 158.6, Magra 148.5, Lander 139.0, Zeta 121.2, Enwood 107.9, Walerga 99.4.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
13	Any Station	Discharge		Lincoln
55	Any Station	Discharge		Lincoln
15	Any Station	Discharge		Lincoln
1	Any Station	Discharge		Cheyenne
5	Any Station	Discharge		Sparks
19	Any Station	Discharge		Sparks
33	Roseville High School	Discharge		

EASTWARD

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths	THIRD CLASS						FIRST CLASS								Distance from San Francisco	STATIONS
	308	310	254	276	262	280	20	28	24	204	124	10	6	2		
	Local Freight	Local Freight	Ogden Manifest	Freight	Freight	Freight	Pacific Limited	Gold Coast Limited	Tonopah Express	Reno-Fallon Motor	Reno-Sparks Passenger	Atlantic Express	Nevada Express	San Francisco Overland Limited		
	Leave Mon., Wed., Fri	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		
PTW	10.55AM		11.15PM	9.05PM	8.30AM	2.50AM	11.00PM	6.10PM	11.30AM			5.25AM	2.40AM	12.35AM	166.6	TO BLUE CANON 5.2
80 PTW	11.48AM			9.40	9.00	3.28	f 11.17	6.27	s 11.48AM			f 5.43	3.00	12.52	171.8	EMIGRANT GAP 1.5
P									f						173.3	SMART 4.6
82 PW	12.25PM			11.35PM			11.35	6.45	f 12.10PM			6.01	3.25	1.10	177.9	TO CRYSTAL LAKE 2.4
PWT	1.30				10.10		f		s 12.20				f 3.35		180.8	TO CISCO 5.2
67 PW	2.05		1.30AM				11.55PM	7.05	f 12.40			6.25	3.53	1.30	185.5	TO TROY 4.9
West Switch P	2.30				10.45				f						190.4	SODA SPRINGS 1.6
79 PTWB	3.05		2.45 3.05	12.45AM 1.05	11.15 11.35AM	5.55 6.15	12.15AM	7.25	s 1.05			f 6.45	f 4.15	1.50	192.0	TO NORDEN 8.6
PT	3.50				12.15PM				f 1.35						200.6	TO ANDOVER 2.3
72 W	4.00						12.47	7.55	f			7.16	4.50	2.20	202.9	STANFORD 5.1
Term. Yard PWTYFBK	4.30PM	6.00AM	5.00	2.10	12.40	7.30	s 1.05	8.10	s 2.05			s 7.45	s 5.25	2.35	208.0	TO-R TRUCKEE 8.3
WP		6.45					1.25		s 2.30			s 8.05	s 5.50		216.3	TO BOCA 1.8
68 P				2.58				8.33	f					2.58	218.1	HINTON 4.3
68 PW		7.15					f 1.40		s 2.45			f 8.20	f 6.05		222.4	TO FLORISTON 6.1
No Siding WP									f						228.5	CALVADA 3.9
131 P		8.00	6.30				2.01	9.00	s 3.10			f 8.40	f 6.30	3.25	232.4	TO VERDI 10.5
Yard P		8.50					s 2.20 2.25	s 9.25	s 3.30 6.00	5.25PM	3.45PM	s 9.00 9.25	s 6.50 7.10	s 3.50	242.9	RENO 2.6
Yard									s 6.10	s 5.30	s 3.55	s 9.35	s 7.20		245.5	SPARKS (Passenger Station) 0.7
Term. Yard FWTBK		9.20AM	8.00AM	4.15AM	2.45PM	9.30AM	s 2.35AM	s 9.35PM	s 6.15PM	s 5.35PM	s 4.00PM	s 9.40AM	s 7.25AM	s 4.00AM	246.2	TO-R SPARKS(Dsprs Office
	Arrive Mon., Wed., Fri.	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(79.6)
	(5.35)	(3.20)	(8.25)	(6.50)	(5.55)	(6.20)	(3.30)	(3.25)	(4.15)	(0.10)	(0.15)	(3.50)	(4.25)	(3.25)		................Time over district
	7.05	11.46	9.45	11.64	13.45	12.56	22.74	23.29	18.72	19.80	13.20	20.76	18.02	23.29		................Average speed per hour

Block Signals

No. 2 Track

Eastward trains use No. 2 track.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS				
Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
6	Polaris, Union Mills, Prosser Creek, Farad, Fleish and Mogul	Receive or Discharge	Any Station	Any Station
24	Polaris, Union Mills, Prosser Creek, Iceland, Farad, Mystic, Fleish, Mogul, Lawton.	Receive or Discharge	Any Station	Any Station
28	Any Station	Receive	Cheyenne	
10	Any Station	Receive	Ogden	
10	Farad	Receive	Reno	
20	Any Station	Receive	Ogden	
2	Any Station	Receive	Cheyenne or east	

Eastward trains proceed Reno to Sparks irrespective of schedule No. 204.

No. 204 may occupy main track in front of station Reno ten minutes in advance of leaving time.

Crews and equipment arriving Reno on Schedule of No. 24 will assume the Schedule of No. 124 Reno to Sparks and may proceed without obtaining clearance card at Reno.

Additional Stations
Fulda 169.7
Yuba Pass 176.1,
Tamarack 183.7,
Spruce 187.8,
Eder 198.2,
Polaris 211.1,
Union Mills 213.5,
Prosser Creek 215.0,
Iceland 220.9,
Wickes 221.5,
Farad 224.7,
Mystic 225.5,
Fleish 229.8,
Mogul 235.8,
Lawton 237.2.

Salt Lake Division extends west to Mile Post 238.8. Train movements governed by Sacramento Division time table.

Time Table No. 125

November 14, 1926

WESTWARD

	STATIONS		Distance from Sparks	FIRST CLASS							THIRD CLASS			Capacity of sidings in car lengths
				9	27	23	203	5	19	1	309	307	253	
				Fast Mail	Gold Coast Limited	Sparks San Francisco Passenger	Fallon Reno Motor	Nevada Express	Pacific Limited	San Francisco Overland Limited	Local Freight	Local Freight	Ogden Manifest	
				Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Ar. Tues. Thur. & Sat.	Arrive Daily	
Block Signals	TO BLUE CANON	5.2	79.6	3.05 AM	7.52 AM	s 10.45 AM		f 12.40 AM	1.58 AM	2.40 AM		11.35 AM	11.45 PM	PTW
Staff Block	EMIGRANT GAP	1 5	74.4	2.50	7.36	s 10.30		f 12.23	1.43	2.24		11.15		WPT 104
	SMART	2 8	72.9			f 10.24		f 12.17				10.45		P
Block Signals; No. 1 Track	YUBA PASS	2 2	70.1			f		f						(Summer) 60 P
	TO CRYSTAL LAKE	2 0	67.9	2.33	7.16	f 10.10		12.03 AM	1.25	2.06		10.10		PW 82
	TO CISCO	5.5	65.9			s 10.03		s 11.57 PM					9.05	PT
	TO TROY	4.9	60.4	2.15	6.56	f 9.47		11.38	1.05	1.46				PW 56, 67
	SODA SPRINGS	1.3	55.5			f 9.33		f						P
	TO NORDEN	1.0	54.2	1.58	6.38	s 9.28		f 11.19	12.47	1.28				PTBW 79
	SUMMIT	3.2	53.2			s 9.25		f 11.15				7.30		P (Upper) 56 (Lower) 71
	LAKE VIEW	4.4	50.0	1.45	6.24	f 9.14		11.05	12.33	1.14				P
	TO ANDOVER	2.3	45.6			f 9.00								P
	STANFORD	5.1	43.3	1.28	6.03	f 8.53		10.44	12.14	12.53				PT 91
	TO-R TRUCKEE	8 3	38.2 38.0	1.15	5.50	s 8.40		s 10.30	s 12.01 AM	12.40	2.00 PM	6.35 AM	5.00	W 72
	TO BOCA	1 8	29.7			s 8.15		s 9.58			1.30			Terminal Yard PWTYFBK
	HINTON	4.3	27.9	12.53	5.25	f			11.35 PM	12.15 AM				WP 53
	TO FLORISTON	6 0	23.6			s 8.02		s 9.45			12.50 PM			P 64
	CALVADA	3 9	17.6			f								P
	TO VERDI	10.4	13.7	12.30	5.01	s 7.40		s 9.25	11.11	11.51 PM	11.55 AM			WP
	RENO	2 6	3.3	12.15 s 12.08	4.45 s 4.40	7.20 s 7.10	s 9.40 AM	9.05 s 8.50	10.55 s 10.45	11.35	11.10			P 100
	SPARKS (Passenger Station)	0.7	0.7			s 7.05	s 9.35	s 8.45						Yard P
	TO-R SPARKS (Dspr's Office)		0.0	12.01 AM	4.30 AM	7.00 AM	9.30 AM	8.40 PM	10.35 PM	11.20 PM	10.30 AM		12.30 PM	Yard
		(79.6)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Lv. Tues. Thur. & Sat.	Leave Daily	Terminal Yard FWTBPK
	Time over District			(2.57)	(3.17)	(3.35)	(0.10)	(3.45)	(3.13)	(3.20)	(3.30)	(5.00)	(11.15)	
	Average speed per hour			26.98	24.24	23.05	19.80	21.22	24.74	23.88	10.47	8.28	7.07	

Westward trains use No. 1 Track.

Water at Lawton and Mystic on No. 1 Track only.

Salt Lake Division extends west to Mile Post 238.8. Train movements governed by Sacramento Division time table.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
5 23	Lawton, Mogul Fleish, Mystic Farad, Iceland Prosser Creek Union Mills Polaris	Receive or Discharge	Any Station	Any Station
1	Any Station	Discharge		Cheyenne
1	Reno	Discharge		Ogden and East
5	Any Station	Discharge		Sparks
19	Any Station	Discharge		Reno

EASTWARD

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths.	THIRD CLASS				FIRST CLASS							Dsitance from San Francisco		STATIONS
	230 Local Freight	222 Portland Manifest	228 Local Freight	224 Mdse.	44 Sacramento Gerber Passenger	58 Sacramento Gerber Passenger	14 Puget Sound Express	56 Sacramento Gerber Passenger	16 Oregon Express	54 Oregonian	12 Shasta			
	Leave Daily Ex. Saturday	Leave Daily	Leave Daily Ex. Sunday	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily			
Term Yard BKFPTWY	**8.45**PM	**8.00**PM										105.8	TO-R	ROSEVILLE YARD 0.8
P						5.20PM		11.05AM	2.15AM			106.6	R	ROSEVILLE 6.2
111 P		**8.25**				f 5.29		f 11.14	2.28			112.8		WHITNEY 4.2
134 PW	9.15	8.40				s **5.35**		s 11.20	s **2.42**			117.0	TO	LINCOLN 4.0
38 P	9.30					f 5.43		f 11.28	2.50			121.0		EWING 1.1
106 P						5.45			2.52			122.1		BROCK 2.7
32	9.45					s 5.49		s 11.34	f 2.57			124.8		SHERIDAN 3.3
138 PW	10.10	9.15				s **5.56**		s **11.41**	s 3.05			128.1	TO	WHEATLAND 6.1
101 P	**10.45**					f 6.05		f 11.50AM	3.14			134.2		OSTROM 6.6
Yard BKIYFWP	11.30	**10.30**				s **6.20**		s 12.05PM	s 3.25 3.35			140.8	TO-R	MARYSVILLE 1.0
													Block Signals	W. P. R. R. Crossing 2.9
112 P	11.45PM					f 6.30		f **12.13**	3.45			144.7		BERG 3.0
43						f 6.35		f 12.18	3.52			147.7		LOMO 2.1
13						f		f				149.8		SUNSET 1.7
54 IP	12.01AM					s 6.42		s 12.25	f 4.00			151.5	TO	LIVE OAK S. N. R. R. Crossing. 6.5
108 PK	**1.22**	11.25PM				s 6.52		s 12.35	s 4.13			158.0	TO	GRIDLEY 3.4
49 WP	1.30AM		7.00AM			s 7.00		s 12.43	s **4.25**			161.4	TO	BIGGS 6.0
49 P			7.20			f 7.09		f 12.53	f 4.35			167.4	TO	RICHVALE 4.1
116 P		**12.56**AM	7.35			s 7.15		f 12.59	f 4.43			171.5		NELSON 6.6
96 P			**8.30**			s 7.25		s 1.09	f 4.54			178.1	TO	DURHAM 6.1 S. N. R. R. Crossing
Yard BKYWFP		2.00	**8.45**			s 7.40		s **1.25**	s 5.05 5.20			184.2	TO-R	CHICO 7.1
29 P						f 7.51		f 1.34	5.34			191.3		NORD 2.3
122 P		**2.45**	9.15			f **7.55**		f 1.38	5.39			193.6		ANITA 2.4
16						f 7.59		f	5.44			196.0		CANA 7.0
100 WP		4.15	**10.23**			s 8.10		s 1.50	f 5.59			203.0	TO	VINA 1.6
15						f 8.15		f				204.6		COPELAND 5.1
48 P						s 8.23		s 2.00	f 6.15			209.7	TO	LOS MOLINOS 2.0
120 PY		5.00	**11.05**	3.40AM	11.05PM	s 8.30	2.22PM	s 2.05	s 6.25	6.10AM	1.07AM	211.7	Block Signals TO-R	TEHAMA 2.1
Term Yard BKWFPY		5.15AM	11.15AM	3.50AM	s 11.15PM	s 8.40PM	s **2.30**PM	s 2.15PM	s **6.35**AM	s 6.20AM	s 1.15AM	213.8	TO-R	GERBER
	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(108.0)
	(5.00) 11.12	(9.15) 11.67	(4.15) 12.32	(0.10) 12.60	(0.10) 12.60	(3.20) 32.16	(0.08) 15.75	(3.10) 33.85	(3.55) 27.57	(0.10) 12.60	(0.08) 15.75			........Time over District ....Average speed per hour

Marysville Yard—see page 10

Westward trains are superior to trains of the same class in the opposite direction.

Trains to and from Oroville, on Woodland Oroville line use Marysville siding.

Eastward trains when taking siding at Marysville will use cross-over just west of west water column.

Eastward trains when taking siding at Nelson will use cross-over just east of station building.

Additional Stations: Clayton 118.4, Rupert Spur 138.9, Binney Junction Tower 141.8, Fagan 155.9, Riceton 164.1 Faulkner 181.9, Gimbal 189.1, Soto 198.3, Ensign 207.1, Bohemia 208.0.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
16	Any Station	Receive	Portland	
56-58	Gimbal			
56-58	Bohemia			

Schedule time and train orders will apply at the Junction Switch at Tehama.

WESTWARD

Time Table No. 125

November 14, 1926

	STATIONS	Distance from Gerber	FIRST CLASS							THIRD CLASS						
			53	11	43	15	55	57	13	219	239	221	241	227	229	223
			Oregonian	Shasta	Gerber Sacramento Passenger	Southern California Express	Gerber Sacramento Passenger	Gerber Sacramento Passenger	San Francisco Express	Freight	Freight	Freight	Freight	Local Freight	Local Freight	Mdse.
			Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday
TO-R	ROSEVILLE YARD	108.0								7.30AM	1.00PM	**8.00PM**	12.35AM		**8.45PM**	
	0.8															
R	ROSEVILLE	107.2				s 1.30PM	s 5.55PM		s 3.05AM							
	6.2															
	WHITNEY	101.0				1.18	f 5.43		2.50						**8.25**	
	4.2															
TO	LINCOLN	96.8				s 1.10	s **5.35**		s **2.42**	7.00	12.20PM	7.15	11.50PM		8.00	
	4.0															
	EWING	92.8					f 5.27			6.45	11.59AM		11.30			
	1.1															
	BROCK	91.7				12.59	5.25		2.31						7.35	
	2.7															
	SHERIDAN	89.0					s 5.21									
	3.3															
TO	WHEATLAND	85.7				s 12.50	s 5.15		f 2.22	6.25	**11.41**	**5.56**	11.10		7.15	
	6.1															
	OSTROM	79.6				12.40	f 5.03		2.12				**10.45**		6.45	
	6.6															
TO-R	MARYSVILLE	73.0				s 12.30	s 4.50		s 2.00	5.45	11.00	5.15	**10.30**		**6.20**	
	1.0															
Block Signals	W. P. R. R. Crossing															
	2.9															
	BERG	69.1				**12.13**	f **4.38**		1.43	5.30	10.45	**4.38**	10.15			
	3.0															
	LOMO	66.1				12.07	f 4.33		1.38						5.45	
	2.1															
	SUNSET	64.0					f									
	1.7															
TO	LIVE OAK S. N. R. R. Crossing	62.3				s 12.01PM	s 4.27		f 1.32						5.30	
	6.5															
TO	GRIDLEY	55.8				s 11.49AM	s 4.17		s **1.22**	4.40	9.55	3.20	9.45		5.00	
	3.4															
TO	BIGGS	52.4				s 11.39	s 4.08		s 1.14	**4.25**	9.40		9.30	10.30AM	4.30PM	
	6.0															
TO	RICHVALE	46.4				f 11.28	s 3.57		f 1.03					10.00		
	4.1															
	NELSON	42.3				11.21	f 3.49		f **12.56**	3.50	**9.10**	2.00	9.00	**9.10**		
	6.6															
TO	DURHAM	35.7				s 11.10	s 3.37		f 12.45					**8.30**		
	6.1															
TO-R	S. N. R. R. Crossing CHICO	29.6				s 11.00	s 3.25		s 12.35	3.15	**8.45**	**1.25**	8.40	8.15		
	7.1															
	NORD	22.5				10.42	f 3.10		12.15							
	2.3															
	ANITA	20.2				10.38	f 3.06		12.11	**2.45**	8.15	12.20PM	**7.55**	7.30		
	2.4															
	CANA	17.8				10.34	f 3.02		12.07AM							
	7.0															
TO	VINA	10.8				s **10.23**	s 2.53		f 11.56PM	2.15	7.45		7.20	7.10		
	1.6															
	COPELAND	9.2														
TO	LOS MOLINOS	4.1				s 10.13	s 2.43		f 11.46					6.55		
	2.0															
Block Signals TO-R	TEHAMA	2.1	3.22AM	5.52AM	s 9.17AM	s 10.07	s 2.37	s 2.52PM	s 11.40			**11.05AM**		6.45		6.10PM
	2.1															
TO-R	GERBER	0.0	3.15AM	5.45AM	9.10AM	10.00AM	**2.30PM**	2.45PM	11.30PM	1.30AM	7.00AM	10.50AM	6.35PM	**6.35AM**		6.00PM
	(108.0)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily Ex. Sunday	Leave Daily Ex. Sunday
	Time over District .... Average speed per hour		(0.07) 15.83	0.07) 15.83	(0.07) 15.83	(3.30) 30.85	(3.25) 31.37	(0.07) 15.83	(3.35) 29.91	(6.00) 18.00	(6.00) 18.00	(9.10) 10.80	(6.00) 18.00	(3.55) 13.37	(4.15) 13.08	(0.10) 12.60

Westward trains are superior to trains of the same class in the opposite direction.

Schedule time and train orders will apply at the Junction Switch at Tehama.

Additional Stations: Clayton 118.4, Rupert Spur 138.9, Binney Junction Tower 141.8, Fagan 155.9, Riceton 164.1, Faulkner 181.9, Gimbal 189.1, Soto 198.3, Ensign 207.1, Bohemia 208.0.

Trains to and from Oroville, on Woodland Oroville line, use Marysville siding.

Marysville Yard see page 10.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
15	Any Station	Discharge		Ashland
13	Any Station	Discharge		Portland
55	Bohemia	Receive or Discharge		
55	Gimbal	Receive or Discharge		

EASTWARD.

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths	THIRD CLASS		SECOND CLASS		FIRST CLASS					Distance from San Francisco		STATIONS
	224	226	134	128	12	542	44	14	54			
	Mdse.	Local Freight	Colusa Branch Passenger	Colusa Branch Mixed	Shasta	Sacramento-Marysville MOTOR	Sacramento Gerber Passenger	Puget Sound Express	Oregonian			
	Lv. Daily Ex. Saturday	Lv. Daily Ex. Sunday	Leave Sunday Only	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily			
Terminal Yard IWYP	9.00PM	6.40AM			10.35PM	7.55PM	7.45PM	10.35AM	3.10AM	75.6	TO-R	DAVIS 5.1
45 P	9.15				10.42	f 8.03	f 7.53	f 10.42	3.17	80.7		MERRITT 2.5
17					10.45	f 8.07	f 7.57	f 10.46		83.2		MULLEN 1.7
107 IPW	9.30	7.40			10.49	s 8.15PM	s 8.05	s 10.55	3.26	84.9	TO-R	WOODLAND S. N. R. R. Crossing 5.0
25 P	9.45	**7.59**			10.57		s 8.15	s 11.05	3.35	89.9	TO	YOLO 5.9
29 P	10.05	8.35			11.04		s 8.27	s **11.17**	3.43	95.8	TO	ZAMORA 2.2
17 P	10.15				11.07		f 8.31	f 11.22		98.0		BRETONA 5.2
36 WP	10.35	9.05			**11.14**		s 8.40	s 11.32	3.53	103.2	TO	DUNNIGAN 3.2
40 P	**10.50**	9.15					f 8.45	f 11.38		106.4		HERSHEY 1.9
118 119 YP	11.00	9.20			11.21		f 8.49	s **11.43**	4.00	108.3		HARRINGTON 5.2
44 P	11.15	9.40			11.28		s 8.58	s 11.55AM	4.07	113.5	TO	ARBUCKLE 4.1
30 PW	**11.33**	**9.55**			**11.33**		f 9.04	f 12.03PM	4.12	117.6		GENEVRA 0.9
11							f	f		118.5		MACY 5.7
50 P	11.50PM	10.25			11.41		s 9.15	s 12.16	4.22	124.2	TO	WILLIAMS 4.9
45 P	12.01AM	**11.03**			11.47		f 9.22	f 12.25		129.1		CORTENA 3.9
59 WP	12.15	11.40			11.52		s **9.28**	s 12.33	4.32	133.0	TO	MAXWELL 5.3
39 P	12.25	11.59AM			11.59PM		f 9.35	f 12.42		138.3		DELAVAN 3.8
34		12.30PM			12.04AM		f 9.41	f 12.49	**4.43**	142.1		NORMAN 2.2
31 P	12.40	**12.53**			12.07		f 9.44	f **12.53**	4.48	144.3		LOGANDALE 5.6
64 WFYP	1.15	1.40PM			12.15		s 9.55	s 1.05	4.57	149.9	TO-R	WILLOWS 3.3
10	1.30						f	f		153.2		LYMAN 3.6
44 P	1.45				12.24		f 10.07	s 1.17	5.07	156.8	TO	ARTOIS 3.9
50	1.55						f 10.13	f 1.24		160.7		GRAPIT 1.3
33 P	2.10						f	f	5.15	162.0		GREENWOOD 3.4
41 PWK	2.40		8.00AM	6.30AM	12.35		s 10.25	s 1.37	5.20	165.4	Block Signals TO-R	ORLAND 1.6
39 PY			s 8.05AM	6.40AM	12.38		f 10.28	f 1.40	5.23	167.0		WYO 2.0
11							f	f		169.0		MALTON 4.4
26 P	3.00				12.46		f 10.38	f 1.52	5.35	173.4		KIRKWOOD 5.1
47 P					12.53		s 10.47	s 2.05	5.45	178.5	TO	CORNING 3.1
44 P	**3.29**				12.58		f 10.54	f 2.12	**5.58**	181.6		RICHFIELD 4.7
120 YP	3.40AM				1.07AM		s 11.05PM	s 2.22PM	6.10AM	186.3	TO-R	TEHAMA
	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Arrive Sunday Only	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(110.7)
	(6.40)	(7.00)	(0.05)	(0.10)	(2.32)	(0.20)	(3.20)	(3.47)	(3.00)			.... Time over District
	16.60	10.61	19.20	9.60	43.69	27.90	33.21	28.26	36.90			.... Average speed per hour

Westward trains are superior to trains of the same class in the opposite direction.

Schedule time and train orders will apply at the Junction Switch at Tehama.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS				
Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
54	Woodland, Arbuckle, Williams, Maxwell, Willows, Orland, Corning	Receive	Ashland, where train is scheduled to stop.	
12	Woodland	Receive	Ashland, where train is scheduled to stop	
14 44	Elvaton Dufour Ronda			

ADDITIONAL STATIONS:

Elvaton	89.2
Dufour	92.1
Ronda	93.7
Riz	146.0
Delphos	126.8

Time Table No. 125

November 14, 1926

WESTWARD

		Distance from Tehama	FIRST CLASS					SECOND CLASS		THIRD CLASS	
			53	541	11	43	57	131	135	225	223
			Oregonian	Marysville Sacramento MOTOR	Shasta	Gerber Sacramento Passenger	Gerber Sacramento Passenger	Colusa Branch MIXED	Colusa Branch Passenger	Local Freight	Mdse.
	STATIONS		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Arrive Sunday Only	Arrive Daily Ex. Sunday	Ar. Daily Ex. Monday
TO-R	DAVIS 5.1	110.7	s 6.35AM	s 8.10AM	s 8.25AM	s 12.45PM	s 6.05PM			1.40PM	12.35AM
	MERRITT 2.5	105.6	6.26	f 8.01	8.15	f 12.35	f 5.55			1.25	12.25
	MULLEN 1.7	103.1		f 7.54		f 12.29	f 5.49				
TO-R	WOODLAND S. N. R. R. Crossing. 5.0	101.4	6.15	7.50AM	8.07	s 12.25	s 5.45			1.10	12.10AM
TO	YOLO 5.9	96.4			**7.59**	s **12.16**	s 5.36			**12.16PM**	11.45PM
TO	ZAMORA 2.2	90.5	5.57		7.51	s 12.07	s 5.27			**11.17AM**	11.30
	BRETONA 5.2	88.3			7.48	f 12.02PM	f 5.22				
TO	DUNNIGAN 3.2	83.1	5.45		7.41	s 11.55AM	s 5.15			10.55	**11.14**
	HERSHEY 1.9	79.9				f	f				**10.50**
	HARRINGTON 5.2	78.0			7.34	s **11.43**	f 5.06			10.35	10.40
TO	ARBUCKLE 4.1	72.8	5.29		7.27	s 11.30	s 4.59			10.20	10.25
	GENEVRA 0.9	68.7	5.22		7.21	f 11.22	f 4.52			**9.55**	10.10
	MACY 5.7	67.8				f	f			9.15	
TO	WILLIAMS 4.9	62.1	5.13		7.13	s 11.13	s 4.43			8.30	9.55
	CORTENA 3.9	57.2			7.07	f **11.03**	f 4.33				
TO	MAXWELL 5.3	53.3	4.57		7.02	s 10.57	s 4.27			8.00	**9.28**
	DELAVAN 3.8	48.0	4.49		6.55	f 10.48	f 4.18			7.35	9.10
	NORMAN 2.2	44.2	**4.43**			f	f			7.25	8.55
	LOGANDALE 5.6	42.0			6.47	f 10.38	f 4.08			7.15	8.45
TO-R	WILLOWS 3.3	36.4	4.30		**6.40**	s 10.30	s 4.00			**6.40AM**	8.30
	LYMAN 3.6	33.1				f	f				
TO	ARTOIS 3.9	29.5	4.15		6.31	s 10.13	s 3.45				8.00
	GRAPIT 1.3	25.6	4.07		6.26	f 10.05	f 3.37				7.45
	GREENWOOD 3.4	24.3				f	f				
Block Signals TO-R	ORLAND 1.6	20.9	4.00		6.20	s 9.58	s 3.30	s 5.00PM	s 2.55PM		7.30
	WYO 2.0	19.3			6.17	f	f	4.50PM	2.50PM		
	MALTON 4.4	17.3				f 9.47	f 3.21				7.05
	KIRKWOOD 5.1	12.9	3.45		6.09	f 9.41	f 3.15				6.55
TO	CORNING 3.1	7.8	3.37		6.02	s 9.33	s 3.07				6.40
	RICHFIELD 4.7	4.7	**3.29**		**5.58**	s 9.24	f 2.59				6.20
TO-R	TEHAMA	0.0	3.22AM		5.52AM	9.17AM	2.52PM				6.10PM
	(110.7)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Sunday Only	Leave Daily Ex. Sunday	Lv. Daily Ex. Sunday
	Time over district		(3.13)	(0.20)	(2.33)	(3.28)	(3.13)	(0.10)	(0.05)	(7.00)	(6.25)
	Average speed per hour		34.41	27.90	43.41	31.93	34.41	9.60	19.20	10.61	17.24

Westward trains are superior to trains of the same class in the opposite direction.

Schedule time and train orders will apply at the Junction Switch at Tehama.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS

Train	At	Receive or Discharge	Passengers to (or beyond)	Passengers from (or beyond)
53	Corning, Orland, Willows, Maxwell, Williams, Arbuckle, Woodland	Receive or Discharge	Sacramento and Port Costa	Weed
43 57	Dufour Ronda	Receive or Discharge		

Capacity of sidings in car lengths.	EASTWARD THIRD CLASS 232 Knights Landing Local Freight	EASTWARD SECOND CLASS 234 Marysville Oroville Mixed	EASTWARD FIRST CLASS	EASTWARD FIRST CLASS 542 Sacramento Marysville MOTOR	Distance from San Francisco	Time Table No. 125 November 14, 1926		Distance from Oroville	WESTWARD FIRST CLASS 541 Marysville Sacramento MOTOR	WESTWARD FIRST CLASS	WESTWARD THIRD CLASS 233 Knights Landing Local Freight	WESTWARD THIRD CLASS 235 Oroville Marysville Mixed
	Lv. Daily Ex. Sunday	Leave Daily		Leave Daily			STATIONS		Arrive Daily		Ar. Daily Ex. Sunday	Arrive Daily
68 IBKPW	9.30AM			8.15PM	84.9	TO-R	WOODLAND 2.3	62.8	s 7.47AM		11.00AM	
16				f	87.2		GARIO 0.5	60.5	f			
23				f 8.22	87.7		PEART 2.4	60.0	f 7.40			
19				f 8.29	90.1		CURTIS 3.9	57.6	f 7.35			
25 P Spur	10.15			s 8.40	94.0	TO	KNIGHTS LANDING 2.5	53.7	s 7.27		10.15	
P	10.45			s 8.47	96.5	R	GRACE S. P. Crossing 0.9	51.2	s 7.20		9.30	
2 Spur				f	97.4		BYPASS 7.8	50.3	f			
65				f 9.05	105.2		CHANDLER 2.3	42.5	f 7.02			
29	11.20AM			f	107.5		MARCUSE 4.2	40.2	f 6.58		9.00	
19 W				s 9.17	111.7		TUDOR 1.0	36.5	s 6.50			
8				f	112.7		ABBOTT 3.4	35.5	f 6.47			
31				f 9.27	116.1		OSWALD 1.9	32.1	f 6.40			
43				f 9.32	118.0		BOGUE 2.7	30.2	f 6.36			
19 PI	12.01PM			s 9.37	120.7		YUBA CITY S. N. R. R. Crossing 1.4	27.5	s 6.30		8.20	
Yard				s 9.42	122.1		W. P. R. R. Crossing E STREET, MARYSVILLE 0.6	26.1	s 6.25			
Yard WPYFIBK	12.30PM	8.30AM		s 9.45PM	122.7	TO-R	MARYSVILLE 8.3	25.5	6.20AM		8.00AM	s 3.00PM
19		s 9.05			131.0		RAMIREZ 4.3	17.2				s 2.15
15 P		s 9.30			135.3		HONOUT 6.6	12.9				s 1.50
14		f 9.55			141.9		HEARST 0.9	6.3				f 1.25
35 P		s 10.00			142.8		PALERMO 2.5	5.4				s 1.20
27		f 10.10			145.3		VILLA VERONA 2.9	2.9				f 1.10
Yard WTPK		s 10.30AM			148.2	TO-R	OROVILLE	0.0				1.00PM
	Ar. Daily Ex. Sunday	Arrive Daily		Arrive Daily			(62,8)		Leave Daily		Lv. Daily Ex. Sunday	Leave Daily
	(3.00)	(2.00)		(1.30)			Time over District		(1.27)		(3.00)	(2.00)
	12.50	12.75		25.00			Average Speed per hour		25.86		12.50	12.75

Marysville Yard—See trains on pages 6 and 7.
Trains to and from Oroville, use Marysville Siding.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS—Laugenour, Saccarus, Coranco, Cunard, Vernon, Coulter, Lee, Wilson, Messick, Mello, Mission, Coxlane and Baggett.

ADDITIONAL STATIONS:—Laugenour 89.4, Saccarus-Mile Post 89.7; Coranco 92.4, Cunard 96.1, Vernon 98.7; Coulter 101.8; Lee 102.7; Wilson 109.2 Messick 114.5; Binney Junction Tower 122.7; Mello 126.5, Mission 131.8, Coxlane 139.2; Baggett 146.5.

Capacity of sidings in car lengths.	EASTWARD FIRST CLASS 132 Passenger	EASTWARD FIRST CLASS 130 Mixed	Distance from San Francisco	Time Table No. 125 November 14, 1926		Distance from Wyo	WESTWARD FIRST CLASS 129 Mixed	WESTWARD FIRST CLASS 133 Passenger
	Sunday only	Leave Daily Ex. Sunday			STATIONS		Arrive Daily Ex. Sunday	Sunday only
Yard PY	11.55AM	12.05PM	108.3	R	HARRINGTON 4.0	72.1	s 11.15AM	s 11.15AM
40	s 12.05PM	s 12.20	112.3		COLLEGE CITY 3.7	68.1	s 11.00	s 11.00
33	f	f	116.0		GRAINO 4.8	64.4	f	f
101 W	s 12.25	s 12.45	120.8	TO	GRIMES 3.6	59.6	s 10.30	s 10.30
30	f	f	124.4		SYCAMORE 4.4	56.0	f	f 10.17
35	f	f	128.8		DOLAN 4.2	51.6	f	f
97	s 12.55	s 1.45	133.0	TO	COLUSA 10.2	47.4	s 9.40	s 9.55
50	f	f	143.2		STEGEMAN 2.7	37.2	f	f
39 W	s 1.25	s 2.35	145.9		PRINCETON 4.5	34.5	s 8.50	s 9.25
33	s	s 2.55	150.4		CODORA 5.2	30.0	s 8.35	s 9.15
64	s	s	155.6		GLENN 6.5	24.8	s	s
40	f 2.05	f	162.1		ORDBEND 3.8	18.3	f	f 8.50
33	f	f	165.9		ROTAVELE 4.1	14.5	f	f
84 W	s 2.25	s 4.15	170.0	TO	HAMILTON 10.4	10.4	s 7.20	s 8.30
42 PY	s 2.50PM	s 4.50PM	180.4		WYO	0.0	6.40AM	8.05AM
	Sunday only	Arrive Daily Ex. Sunday			(72.1)		Leave Daily Ex Sunday	Sunday only
	(2.55)	(4.45)			Time over District		(4.35)	(3.10)
	24.72	15.17			Average speed per hour		15.73	22.76

ADDITIONAL STATIONS: Denco 137, Nadine Spur 157.0, Moda 175.2 and Cory 178.6.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS: Nos. 129, 130, 132 and 133 at roadcrossing near 138f, 148f, Denco, Moda, Nadine Spur and Cory.

Capacity of sidings in car lengths.	EASTWARD	EASTWARD SECOND CLASS 266 Fruto Mixed	Distance from San Francisco	Time Table No. 125 November 14, 1926		Distance from Fruto	WESTWARD THIRD CLASS 267 Willows Mixed
		Leave Saturday Only			STATIONS		Arrive Saturday Only
64 WFYBKP		7.00AM	149.9	TO-R	WILLOWS 2.4	17.0	s 9.10AM
7 Spur		f	152.3		LOSA 3.5	14.6	f
20		f 7.20	155.8		KURAND 3.8	11.1	f 8.55
10		f 7.35	159.6		MILLSHOLM 4.0	7.3	f 8.40
9		f 7.50	163.6		ATHENA 3.3	3.3	f 8.25
19 PT		s 8.00AM	166.9	R	FRUTO	0.0	8.10AM
		Arrive Saturday Only			(17.0)		Leave Saturday Only
		(1.00)			Time over District		(1.00)
		17.00			Average speed per hour		17.00

Westward trains are superior to trains of the same class in the opposite direction.

Capacity of Sidings in Car Lengths	EASTWARD THIRD CLASS 264 Local Freight Leave Mon., Wed., Fri.	FIRST CLASS 162 Sacramento Placerville Motor Leave Daily	Distance from San Francisco		Time Table No. 125 November 14, 1926 STATIONS	Distacce from Placerville	WESTWARD FIRST CLASS 161 Placerville Sacramento Motor Arrive Daily	THIRD CLASS 265 Local Freight Arrive Tues., Thurs., Sat.
WFTYPBK	6.30AM	2.30PM	88.8	TO-R	SACRAMENTO 0.5	59.9	s 9.45AM	12.15PM
			89.3		S. N. R. R. Crossing 0.3	59.4		
			89.6		JCT. SWITCH, R STREET 0.1	59.1		
			89.7		S. N. R. R. Crossing Western Pacific Crossing 0.5	59.0		
			90.2		Central California Traction Crossing 0.6	58.5		
I	Via Elvas	Via Elvas	90.8		Western Pacific Crossing 1.2	57.9	Via Elvas	Via Elvas
I			92.0		S. N. R. R. Crossing 0.3	56.7		
Yard			92.3		HOMESTEAD 2.4	56.4		
89 WP	6.50	s 2.47	94.7	TO-R	BRIGHTON S. P. Crossing. 1.2	54.0	s 9.28	11.50AM
29	6.55	s 2.50	95.9		PERKINS 1.6	52.8	s 9.26	11.40
9		f	97.5		MANLOVE 1.4	51.2	f	
81	7.05	f 2.56	98.9		MAYHEW 1.8	49.8	f 9.21	11.25
8		f	100.7		ROUTIER 0.9	48.0	f	
22	7.20	s 3.03	101.6	TO	MILLS 1.8	47.1	s 9.17	11.15
35	7.30	f 3.07	103.4		MATHER 1.0	45.3	f 9.14	11.05
35 P	8.25	s 3.10	104.4	R	CITRUS 3.0	44.3	s 9.12 8.57	10.00
18	8.35	f 3.17	107.4		NIMBUS 0.9	41.3	f 8.51	9.45
31	8.48	f	108.3		ALDER CREEK 1.8	40.4	f 8.48	
25		f 3.23	110.1		NATOMA 1.0	38.6	f 8.43	9.35
25 WY	9.30	s 3.28	111.8	TO-R	FOLSOM 6.9	37.6	s 8.40	9.30
9	10.25	f 3.43	118.0		WHITE ROCK 8.1	30.7	f 8.22	8.50
15	11.20	f 4.04	126.1		LATROBE 5.3	22.6	f 8.04	8.04
6	11.50AM	f 4.20	131.4		DUGAN 5.5	17.3	f 7.49	7.40
27	12.45PM	s 4.35	136.9		SHINGLE SPRINGS 5.8	11.8	s 7.33	7.20
32	1.30	s 4.53	142.7		EL DORADO 2.3	6.0	s 7.17	6.55
23	1.45	s 5.01	145.0	TO	DIAMOND SPRINGS 3.7	3.7	s 7.10	6.45
Yard WTK	2.00PM	s 5.10PM	148.7	TO-R	PLACERVILLE	0.0	7.00AM	6.30AM
	Arrive Mon., Wed., Fri.	Arrive Daily			(59.9)		Leave Daily	Leave Tues., Thurs., Sat.
	(7.30)	(2.40)			Time over District		(2.30)	(5.45)
	7.98	22.46			Average speed per hour		23.96	10.42

No. 161 will occupy main track at station Placerville 6.45 a.m. to 7.00 a.m. Daily.

Water—One mile east of Dugan.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS:—Nos. 161 and 162 Soudan, Maltby, Harvey, Bradshaw, Salsbury, Alden, Prattrock, Ramona, Cothrin, Flonellis, Brela, Brandon, Bullard, Bennett, Cummings and Apex.

ADDITIONAL STATIONS:—Ramona, 95.5,—Brown, 97.0,—Alden, 98.0,—Bradshaw, 99.8,—Boyd, 100.3, Soudan, 103.7,—Salsbury, 105.2,—Nagle, 111.3,—Prattrock, 111.4,—Maltby, 119.4,—Harvey, 121.7,—Cothrin, 123.1,—Flonellis, 127.6,—Swift, 127.8,—Brela, 128.1,—Brandon, 129.8,—Bullard, 131.7,—Bennett, 134.0,—Cummings, 140.4,—Apex, 147.7.

Capacity of Sidings in Car Lengths	EASTWARD THIRD CLASS		FIRST CLASS 164 Fair Oaks Motor Leave Daily	Distance from San Francisco		Time Table No. 125 November 14, 1926 STATIONS	Distance from Fair Oaks	WESTWARD SECOND CLASS 165 Fair Oaks Motor Arrive Daily	FOURTH CLASS
35 P			8.58AM	104.4	R	CITRUS 1.9	1.9	s 9.11AM	
15 PT			s 9.03AM	106.8	TO-R	FAIR OAKS	0.0	9.05AM	
			Arrive Daily			(1.9)		Leave Daily	
			(0.05)			Time over District		(0.06)	
			22.80			Average speed per hour		19.00	

Westward trains are superior to t

EASTWARD

SECOND CLASS

Time Table No. 125

WESTWARD

SECOND CLASS

Capacity of Sidings in Car Lengths	
Terminal Yard WFTYPBK	
Yard	
Yard	P
Yard	
60	
60	
66	P
55	
44	
61	PWY

Capacity of Sidings in Car Lengths	
Term Yard	
18	P
Term Yard	

All messages must be written in ink or typewritten on these blanks, and those for parties on trains (except trainmen) delivered in sealed envelopes. The exact sending and receiving time, initials of sending and receiving operator and signal of receiving office must be entered in every instance. Operator must note on back of telegrams time of calls and cause of delay if any.

Form 2191-B

TELEGRAM

Time Filed__________M

Operator's Service

C. S.

(COPY)

234-9 H HO Sacramento 120PM Nov. 4th, 1926

R. L. R.
FSMcF
J. T. S.
H. P. T. - San Francisco.
E. B. C.

My W-159 of 2nd. It has now been decided to operate mixed service on Lake Tahoe Branch on Saturdays only connecting with boat leaving Tahoe. This service to remain in effect until Nov. 30th. Agency at Tahoe will also be retained until that date.

Leave Truckee	8:45 AM	arrive	Tahoe	9:45 AM
Leave Tahoe	10:00 AM	arrive	Truckee	1100 AM

W. L. Hack
1:33 PM

EASTWARD / WESTWARD

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths.	THIRD CLASS 232 Knights Landing Local Freight Lv. Daily Ex. Sunday	SECOND CLASS 234 Marysville Oroville Mixed Leave Daily	FIRST CLASS 542 Sacramento Marysville MOTOR Leave Daily	Distance from San Francisco		STATIONS	Distance from Oroville	FIRST CLASS 541 Marysville Sacramento MOTOR Arrive Daily	THIRD CLASS 233 Knights Landing Local Freight Ar. Daily Ex. Sunday	THIRD CLASS 235 Oroville Marysville Mixed Arrive Daily
68 IBKPW	9.30AM		8.15PM	84.9	TO-R	WOODLAND 2.3	62.8	s 7.47AM	11.00AM	
16			f	87.2		GARIC 0.5	60.5	f		
23			f 8.22	87.7		PEART 2.4	60.0	f 7.40		
19			f 8.29	90.1		CURTIS 3.9	57.6	f 7.35		
25 P Spur	10.15		s 8.40	94.0	TO	KNIGHTS LANDING 2.5	53.7	s 7.27	10.15	
P	10.45		s 8.47	96.5	R	GRACE S. P. Crossing 0.9	51.2	s 7.20	9.30	
2 Spur			f	97.4		BYPASS 7.8	50.3	f		
65			f 9.05	105.2		CHANDLER 2.3	42.5	f 7.02		
29	11.20AM		f	107.5		MARCUSE 4.2	40.2	f 6.58	9.00	
19 W			s 9.17	111.7		TUDOR 1.0	36.5	s 6.50		
8			f	112.7		ABBOTT 3.4	35.5	f 6.47		
31			f 9.27	116.1		OSWALD 1.9	32.1	f 6.40		
43			f 9.32	118.0		BOGUE 2.7	30.2	f 6.36		
19 PI	12.01PM		s 9.37	120.7		YUBA CITY S. N. R. R. Crossing 1.4	27.5	s 6.30	8.20	
Yard			s 9.42	122.1		W. P. R. R. Crossing E STREET, MARYSVILLE 0.6	26.1	s 6.25		
Yard WPYFIBK	12.30PM	8.30AM	s 9.45PM	122.7	TO-R	MARYSVILLE 8.3	25.5	6.20AM	8.00AM	s 3.00PM
19		s 9.05		131.0		RAMIREZ 4.3	17.2			s 2.15
15 P		s 9.30		135.3		HONCUT 6.6	12.9			s 1.50
14		f 9.55		141.9		HEARST 0.9	6.3			f 1.25
35 P		s 10.00		142.8		PALERMO 2.5	5.4			s 1.20
27		f 10.10		145.3		VILLA VERONA 2.9	2.9			f 1.10
Yard WTPK		s 10.30AM		148.2	TO-R	OROVILLE	0.0			1.00PM
	Ar. Daily Ex. Sunday	Arrive Daily	Arrive Daily			(62,8)		Leave Daily	Lv. Daily Ex. Sunday	Leave Daily
	(3.00) 12.50	(2.00) 12.75	(1.30) 25.00			Time over District Average Speed per hour		(1.27) 25.86	(3.00) 12.50	(2.00) 12.75

Marysville Yard—See trains on pages 6 and 7.
Trains to and from Oroville, use Marysville Siding.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS—Laugenour, Saccarus, Coranco, Cunard, Vernon, Coulter, Lee, Wilson, Messick, Mello, Mission, Coxlane and Baggett.

ADDITIONAL STATIONS:—Laugenour 89.4, Saccarus-Mile Post 89.7; Coranco 92.4, Cunard 96.1, Vernon 98.7; Coulter 101.8; Lee 102.7; Wilson 109.2 Messick 114.5; Binney Junction Tower 122.7; Mello 126.5, Mission 131.8, Coxlane 139.2; Baggett 146.5.

EASTWARD / WESTWARD

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths.	FIRST CLASS 132 Passenger Sunday only	FIRST CLASS 130 Mixed Leave Daily Ex. Sunday	Distance from San Francisco		STATIONS	Distance from Wyo	FIRST CLASS 129 Mixed Arrive Daily Ex. Sunday	FIRST CLASS 133 Passenger Sunday only
Yard PY	11.55AM	12.05PM	108.3	R	HARRINGTON 4.0	72.1	s 11.15AM	s 11.15
40	s 12.05PM	s 12.20	112.3		COLLEGE CITY 3.7	68.1	s 11.00	s 11.00
33	f	f	116.0		GRAINO 4.8	64.4	f	f
101 W	s 12.25	s 12.45	120.8	TO	GRIMES 3.6	59.6	s 10.30	s 10.30
30	f	f	124.4		SYCAMORE 4.4	56.0	f	f 10.17
35	f	f	128.8		DOLAN 4.2	51.6	f	f
97	s 12.55	s 1.45	133.0	TO	COLUSA 10.2	47.4	s 9.40	s 9.55
50	f	f	143.2		STEGEMAN 2.7	37.2	f	f
39 W	s 1.25	s 2.35	145.9		PRINCETON 4.5	34.5	s 8.50	s 9.25
33	s	s 2.55	150.4		CODORA 5.2	30.0	s 8.35	s 9.15
64	s	s	155.6		GLENN 6.5	24.8	s	s
40	f 2.05	f	162.1		ORDBEND 3.8	18.3	f	f 8.50
33	f	f	165.9		ROTAVELE 4.1	14.5	f	f
84 W	s 2.25	s 4.15	170.0	TO	HAMILTON 10.4	10.4	s 7.20	s 8.30
42 PY	s 2.50PM	s 4.50PM	180.4		WYO	0.0	6.40AM	8.05
	Sunday only	Arrive Daily Ex. Sunday			(72.1)		Leave Daily Ex Sunday	Sunday only
	(2.55) 24.72	(4.45) 15.17			Time over District Average speed per hour		(4.35) 15.73	(3.10) 22.76

ADDITIONAL STATIONS: Denco 137, Nadine Spur 157.0, Moda 175.2 and Cory 178.6.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS: Nos. 129, 130, 132 an 133 at roadcrossing near 138f, 148f, Denco, Moda, Nadine Spur and Cory.

EASTWARD / WESTWARD

Time Table No. 125

November 14, 1926

Capacity of sidings in car lengths.	SECOND CLASS 266 Fruto Mixed Leave Saturday Only	Distance from San Francisco		STATIONS	Distance from Fruto	THIRD CLASS 267 Willows Mixed Arrive Saturday Only
64 WFYBKP	7.00AM	149.9	TO-R	WILLOWS 2.4	17.0	s 9.10AM
7 Spur	f	152.3		LOSA 3.5	14.6	f
20	f 7.20	155.8		KURAND 3.8	11.1	f 8.55
10	f 7.35	159.6		MILLSHOLM 4.0	7.3	f 8.40
9	f 7.50	163.6		ATHENA 3.3	3.3	f 8.25
19 PT	s 8.00AM	166.9	R	FRUTO	0.0	8.10AM
	Arrive Saturday Only			(17.0)		Leave Saturday Only
	(1.00) 17.00			Time over District Average speed per hour		(1.00) 17.00

Westward trains are superior to trains of the same class in the opposite direction.

Capacity of Sidings in Car Lengths	EASTWARD THIRD CLASS 264 Local Freight	FIRST CLASS 162 Sacramento Placerville Motor	Distance from San Francisco		Time Table No. 125 November 14, 1926 STATIONS	Distace from Placerville	WESTWARD FIRST CLASS 161 Placerville Sacramento Motor	THIRD CLASS 265 Local Freight
	Leave Mon., Wed., Fri.	Leave Daily					Arrive Daily	Arrive Tues., Thurs., Sat.
WFTYPBK	6.30AM	2.30PM	88.8	TO-R	SACRAMENTO 0.5	59.9	s 9.45AM	12.15PM
			89.3		S. N. R. R. Crossing 0.3	59.4		
			89.6		JCT. SWITCH, R STREET 0.1	59.1		
			89.7		S. N. R. R. Crossing Western Pacific Crossing 0.5	59.0		
			90.2		Central California Traction Crossing 0.6	58.5		
I	Via Elvas	Via Elvas	90.8		Western Pacific Crossing 1.2	57.9	Via Elvas	Via Elvas
I			92.0		S. N. R. R. Crossing 0.3	56.7		
Yard			92.3		HOMESTEAD 2.4	56.4		
89 WP	6.50	s 2.47	94.7	TO-R	BRIGHTON S. P. Crossing. 1.2	54.0	s 9.28	11.50AM
29	6.55	s 2.50	95.9		PERKINS 1.6	52.8	s 9.26	11.40
9		f	97.5		MANLOVE 1.4	51.2	f	
81	7.05	f 2.56	98.9		MAYHEW 1.8	49.8	f 9.21	11.25
8		f	100.7		ROUTIER 0.9	48.0	f	
22	7.20	s 3.03	101.6	TO	MILLS 1.8	47.1	s 9.17	11.15
35	7.30	f 3.07	103.4		MATHER 1.0	45.3	f 9.14	11.05
35 P	8.25	s 3.10	104.4	R	CITRUS 3.0	44.3	9.12 s 8.57	10.00
18	8.35	f 3.17	107.4		NIMBUS 0.9	41.3	f 8.51	9.45
31	**8.48**	f	108.3		ALDER CREEK 1.8	40.4	f **8.48**	
25		f 3.23	110.1		NATOMA 1.0	38.6	f 8.43	9.35
25 WY	9.30	s 3.28	111.8	TO-R	FOLSOM 6.9	37.6	s 8.40	9.30
9	10.25	f 3.43	118.0		WHITE ROCK 8.1	30.7	f 8.22	8.50
15	11.20	f 4.04	126.1		LATROBE 5.3	22.6	f **8.04**	**8.04**
6	11.50AM	f 4.20	131.4		DUGAN 5.5	17.3	f 7.49	7.40
27	12.45PM	s 4.35	136.9		SHINGLE SPRINGS 5.8	11.8	s 7.33	7.20
32	1.30	s 4.53	142.7		EL DORADO 2.3	6.0	s 7.17	6.55
23	1.45	s 5.01	145.0	TO	DIAMOND SPRINGS 3.7	3.7	s 7.10	6.45
Yard WTK	2.00PM	s 5.10PM	148.7	TO-R	PLACERVILLE	0.0	7.00AM	6.30AM
	Arrive Mon., Wed., Fri.	Arrive Daily			(59.9)		Leave Daily	Leave Tues., Thurs., Sat.
	(7.30)	(2.40)			……Time over District……		(2.30)	(5.45)
	7.98	22.46			……Average speed per hour……		23.96	10.42

No. 161 will occupy main track at station Placerville 6.45 a.m. to 7.00 a.m. Daily.

Water—One mile east of Dugan.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS:—Nos. 161 and 162 Soudan, Maltby, Harvey, Bradshaw, Salsbury, Alden, Prattrock, Ramona, Cothrin, Flonellis, Brela, Brandon, Bullard, Bennett, Cummings and Apex.

ADDITIONAL STATIONS:—Ramona, 95.5,—Brown, 97.0,—Alden, 98.0,—Bradshaw, 99.8,—Boyd, 100.3, Soudan, 103.7,—Salsbury, 105.2,—Nagle, 111.3,—Prattrock, 111.4,—Maltby, 119.4,—Harvey, 121.7,—Cothrin, 123.1,—Flonellis, 127.6,—Swift, 127.8,—Brela, 128.1,—Brandon, 129.8,—Bullard, 131.7,—Bennett, 134.0,—Cummings, 140.4,—Apex, 147.7.

Capacity of Sidings in Car Lengths	EASTWARD THIRD CLASS		FIRST CLASS 164 Fair Oaks Motor	Distance from San Francisco		Time Table No. 125 November 14, 1926 STATIONS	Distance from Fair Oaks	WESTWARD SECOND CLASS 165 Fair Oaks Motor	FOURTH CLASS
			Leave Daily					Arrive Daily	
35 P			8.58AM	104.4	R	CITRUS 1.9	1.9	s 9.11AM	
15 PT			s 9.03AM	106.3	TO-R	FAIR OAKS	0.0	9.05AM	
			Arrive Daily			(1.9)		Leave Daily	
			(0.05)			……Time over District……		(0.06)	
			22.80			……Average speed per hour……		19.00	

Capacity of Sidings in Car Lengths	EASTWARD		SECOND CLASS	532 Sacramento Walnut Grove MIXED	Distance from San Francisco		Time Table No. 125 November 14, 1926 STATIONS	Distance from Walnut Grove	WESTWARD SECOND CLASS 533 Walnut Grove Sacramento MIXED		
				Leave Daily					Arrive Daily		
Terminal Yard WFTYPBK				8.30AM	88.8	TO-R	SACRAMENTO 0.5	24.6	s 5.50PM		
Yard					89.3		S. N. R. R. Crossing 0.3	24.1			
Yard P				8.35	89.6		JCT. SWITCH R STREET 2.2	23.8	5.42		
Yard				f 8.41	91.8		BATHS 2.4	21.6	f 5.36		
60				f 8.48	94.2		DEL RIO 3.3	19.2	f 5.30		
60				s 8.57	97.5		FREEPORT 7.8	15.9	s 5.20		
66 P				s 9.17	105.3		HOOD 4.0	9.5	s 5.00		
55				f 9.30	107.9		LAMBERT 3.3	5.5	f 4.47		
44				f	111.2		MOFUBA 2.2	2.2	f		
61 PWY				s 9.45AM	113.4	TO-R	WALNUT GROVE	0.0	4.30PM		
				Arrive Daily			(24.6)		Leave Daily		
				(1.15)			……Time over District……		(1.20)		
				19.68			……Average speed per hour……		18.45		

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS: — Nos. 532 and 533 at Front and M Street Sacramento, Charles, Pocket, Content, Cronin, Mosher, Acacia, Locke and Rosebud.

ADDITIONAL STATIONS:—Charles Mile Post 93.0; Pocket 96.4; Content 98.9; Cronin 100.1; Mosher 100.9; Acacia 102.6; Rosebud 103.3; Locke and Walnut Grove Wharf 112.6.

Capacity of Sidings in Car Lengths	EASTWARD				Distance from San Francisco		Time Table No. 125 November 14, 1926 STATIONS	Distance from Tahoe	WESTWARD		
Term Yard					208.0	TO-R	TRUCKEE 4.1	14.7			
					212.1		HEADLAND 1.5	10.6			
					213.6		DENVALE 0.1	9.1			
					213.7		McPHETRES 1.0	9.0			
18 P					214.7		BIG CHIEF 1.0	8.0			
					215.7		BULLS HEAD 1.0	7.0			
					216.7		SQUAW CREEK 0.9	6.0			
					217.6		OLD ROAD 0.9	5.1			
					218.5		DEER PARK 2.0	4.2			
					220.5		RAMPART 1.5	2.2			
					222.0		STILLWATER 0.7	0.7			
Term Yard					222.7	TO-R	TAHOE	0.0			
							14.7				

Westward trains are superior to trains of the same class in the opposite direction.

SACRAMENTO YARD—INBOUND, VIA ELVAS.

Trains moving from Brighton to Elvas are Eastward, and Elvas to Sacramento Westward.

	Time Table No. 125 November 14, 1926		Distance from Brighton	13	5	19	1	9	24	256	64	33	161	27	254	265	32	23	15	286	319	55	68	38
				San Francisco Express	Nevada Express	Pacific Limited	San Francisco Overland Limited	Fast Mail	Tonopah Express	Sunset Manifest	Puget Sound Express	Colfax Sacramento Motor	Placerville Sacramento Motor	Gold Coast Limited	Ogden Manifest	Local Freight	San Francisco Sacramento Passenger	Sparks San Francisco Passenger	Southern California Express	Local Freight	Freight	Gerber Sacramento Passenger	Fresno Sacramento Passenger	San Francisco Sacramento Passenger
	STATIONS			Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Tues. Thursday Saturday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily
Block Signals	TO-R SAC. PASS. STA.	Double Track	6.0	3.40AM	4.05AM	4.50AM	5.40AM	5.55AM	7.00AM		9.10AM	9.25AM	9.45AM	10.50AM			1.35PM	2.00PM	2.05PM			6.30PM	8.25PM	9.20PM
	1.0																							
	12TH STREET		5.0													12.15PM				4.20PM	5.00PM			
	2.0																							
	ELVAS		3.0	3.28AM	3.53AM	4.38AM	5.28AM	5.43AM	6.50	8.30AM	9.00	9.13AM	9.33	10.38AM	11.00AM	12.01PM	1.25	1.48PM	1.53PM	4.00	4.45PM	6.18PM	8.15	9.10
	3.0																							
	TO-R BRIGHTON		0.0						6.45AM	7.50AM	8.55AM		9.28AM		10.25AM	11.50AM	1.20PM			3.50PM			8.10PM	9.05PM
	(6.0)			Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Tues. Thursday Saturday	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily

SACRAMENTO YARD—OUTBOUND, VIA ELVAS.

Trains moving from Sacramento to Elvas are Eastward and Elvas to Brighton Westward.

	Time Table No. 125 November 14, 1926		Distance from San Francisco	10	331	16	264	65	333	24	285	253	222	31	56	162	28	335	34	58	63	230	20	337	2	6	257
				Atlantic Express	Tracy Freight	Oregon Express	Local Freight	Sacramento Fresno Passenger	Tracy Freight	Tonopah Express	Local Freight	Ogden Manifest	Portland Fast Freight	Sacramento San Francisco Passenger	Sacramento Gerber Passenger	Sacramento Placerville Motor	Gold Coast Limited	Tracy Freight	Sacramento Colfax Motor	Sacramento Gerber Passenger	Southern California Express	Nevada MDSE.	Pacific Limited	Tracy Freight	San Francisco Overland Limited	Nevada Express	Sunset Manifest
	STATIONS			Leave Daily	Leave Daily	Leave Daily	Lv. Mon. Wed. Friday	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily
Block Signals	TO-R SAC. PASS. STA.	Double Track	88.8	1.15AM		1.40AM		7.10AM		7.30AM				9.00AM	10.35AM	2.30PM	2.45PM		3.40PM	4.50PM	5.30PM		7.35PM		9.25PM	10.55PM	
	1.0																										
	12TH STREET		89.8				6.30AM				7.40AM		8.40AM									6.45PM					
	2.0																										
	ELVAS		91.8	1.27AM	1.40AM	1.52AM	6.40	7.20	7.25AM	7.42AM	7.55	8.30AM	8.55AM	9.10	10.47AM	2.42	2.57PM	3.00PM	3.52PM	5.02PM	5.40	7.00PM	7.47PM	8.45PM	9.37PM	11.07PM	11.40PM
	3.0																										
	TO-R BRIGHTON		94.8		2.00AM		6.50AM	7.25AM	7.45AM		8.05AM	8.55AM		9.15AM		2.47PM		3.20PM			5.45PM			9.05PM			12.15AM
	(6.0)			Arrive Daily	Arrive Daily	Arrive Daily	Ar. Mon. Wed. Friday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Sunday	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily

EASTWARD | WESTWARD

Capacity of sidings in car lengths.	Distance from San Francisco		Time Table No. 125 Novemebr 14, 1926 STATIONS	Distance from Josephine
P	96.5	R	GRACE	20.8
			0.4	
30 P	96.9		MARCHANT	20.4
			1.5	
33	98.4		MACKERT	18.9
			2.0	
39 WP	100.4		ROBBINS	16.9
			1.3	
33 P	101.7		SEYMOUR	15.6
			3.4	
55 P	105.1		SUBACO	12.2
			2.1	
33	107.2		PELGER	10.1
			2.1	
55 P	109.3		EVERGLADE	8.0
			1.9	
51 P	111.2		HINSDALE	6.1
			0.6	
YP	111.8		SHEFFIELD	5.5
			1.5	
44	113.3		TISDALE	4.0
			1.9	
15 (Spur)	115.2		PROGRESS	2.1
			2.1	
24 35 (Spur)	117.3		JOSEPHINE	0.0
			(20.8)	

.... Time over District ....
.... Average speed per hour ....

EASTWARD | WESTWARD

Capacity of sidings in car lengths.	Distance from San Francisco	Time Table No. 125 November 14, 1926 STATIONS	Distance from Karnak
30 P	96.9	MARCHANT	2.5
		0 7	
26	97.6	ENSLEY	1.8
		1.8	
5 P	99.4	KARNAK	0.0
		2.5)	

.... Time over District ....
.... Average speed per hour ....

Time Table superiority of schedule trains and train orders of all trains apply to end of double track at Brighton.

EASTWARD | WESTWARD

Capacity of sidings in car lengths.	FIRST CLASS 600 Mixed	Distance from San Francisco		Time Table No. 125 November 14, 1926 STATIONS	Distance from Stirling City	SECOND CLASS 601 Mixed
	Leave Daily Ex. Sunday					Arrive Daily Ex. Sunday
Yard FYWBKP	7.00AM	184.2	TO-R	CHICO	31.2	s 1.50PM
				2.4		
No Siding		186.6		S. N. R. R. Crossing	28.8	
				2.7		
	f	189.3		DREDGE	26.1	f
				3.3		
18	f	192.6		CROUCH	22.8	s
				5.6		
21 WP	s 8.10	198.2		PARADISE	17.2	s 12.45
				5.0		
12	s 8.30	203.2		MAGALIA	12.2	s 12.15PM
				3.0		
3 P	s 8.50	206.2		APPLETON	9.2	s 11.55AM
				3.8		
10 (Spur) WP	s 9.10	210.0		DOON	5.4	s 11.30
				5.4		
P Yard Y	s 9.40AM	215.4	TO-R	STIRLING CITY	0.0	11.00AM
	Arrive Daily Ex. Sunday			(31.2)		Leave Daily Ex. Sunday
	(2.40)			Time over District		(2.50)
	11.70			Average speed per hour		11.01

Westward trains are superior to trains of the same class in the opposite direction.

Emergency water supply, Stirling City.

ADDITIONAL FLAG STOPS TO RECEIVE OR DISCHARGE PASSENGERS: Barber (Chico yard). Oakdale Farms, Ostrander, Wagstaff, Optimo, Bush and Luce.

ADDITIONAL STATIONS: Barber 185.1, Oakdale Farms 196.6, Ostrander 199.6 Wagstaff 200.2, Optimo 202.2, Bush 203.9, Luce 207.1.

THE FOLLOWING APPLICATIONS AND ADDITIONS ARE MADE TO THE BOOK OF RULES:

RULE 2. The following are designated Watch Inspectors:

San Francisco	S. A. Pope, Supervisor ot Time Service, 65 Market St.		
Sacramento	H. T. Harger, 1008 “K” St.	Marysville	Leo J. Smith
Roseville	H. T. Harger	Chico	J. R. Dupen
Sparks	Adams & Davidson Co.	Willows	E. W. Wright
Oroville	O. W. Halstead	Placerville	N. H. Burger & Son

RULE 10 (G). Where there are two or more main tracks, an unattended red signal will not apply to the track on which a train is running if displayed beyond the first rail of an adjoining track.

RULE 72. When a section of double track is being used as single track under Form D-S, westward trains are superior to trains of the same class in the opposite direction.

RULE D-72 and 73. Trains between Elvas and Sacramento, and between Elvas and Brighton, and eastward trains via Elvas from Stockton Division to Roseville will move irrespective of time-table superiority when moving with the current of traffic.

RULE 83 (A). At the following stations, only the trains indicated will register:

Chico
Willows } Trains originating and terminating.
Harrington

Sacramento, 12th St.—Trains originating and terminating and eastward freight trains from Western Division.

RULE 83 (B). At open train-order offices trains may register by ticket as follows: Nos. 11, 12, 14, 53 and 54 at Woodland, Orland and Tehama.
Nos. 13, 15 and 16 at Tehama.
First-class trains at Roseville Yard, Colfax and Truckee.

Roseville (Passenger Station).—First-class trains via Roseville-Gerber line.

Folsom.—Register at Junction Switch, Folsom. Trains that are required to go to Folsom or trains originating or terminating at Folsom, will on return to the Junction, register the same information as shown on register at station.

RULE 83 (D). Trains must obtain a clearance card before leaving Marysville, Colfax, and Truckee, also at Folsom and Fair Oaks when such stations are open train-order offices. Extra trains not routed via Folsom or Fair Oaks need not go to or obtain a clearance card at those stations.

Trains originating at Norden will obtain clearance card before leaving.

RULE 93. SACRAMENTO YARD.—Between a point 1,000 feet east of Benali to a point 4,000 feet west of Sacramento River Bridge, to a point 1,000 feet west of west switch at Brighton on Stockton Line via Elvas, to a point 1,000 feet east of east switch at Brighton on Placerville line via Homestead, to a point 3½ miles east of Junction switch, R Street, on Walnut Grove Line.

ROSEVILLE YARD.—Between a point 1,000 feet west of west switch Antelope, to a point one mile east of junction switch on Roseville-Gerber line, to a point 1,000 feet east of east switch at Rocklin, on No. 4 track and to a point 1,000 feet east of crossover on Nos. 1 and 2 tracks.

COLFAX YARD.—Within yard limits of Colfax the main track may be used protecting against first class trains. All trains and engines must move within yard limits prepared to stop unless the main track is seen or known to be clear.

BLUE CANON.—Within yard limits of Blue Canon yard the main track may be used by eastward trains protecting against first class eastward trains. All trains and engines must move within yard limits prepared to stop unless the main track is seen or known to be clear.

TAHOE YARD.—From a point 1000 feet west of west switch Stillwater.

MARYSVILLE YARD.—Between a point 1,000 feet west of Rupert Spur, to a point 1000 feet east of 143-D, to a point 4,100 feet east of Binney Jct. switch on Woodland-Oroville line, to a point 1,000 feet west of west switch of cannery track at Yuba City. This includes E and A Street cut-off.

GERBER (Shasta Div.).—Between a point 80 feet east of east switch of house track at Tehama and a point on Shasta Division east of Gerber.

SPARKS (Salt Lake Div.)—Between a point one and one-half miles west of Reno and a point east of Sparks on Salt Lake Division.

YARD LIMITS.—Are defined by yard limit signs at the following stations:

Truckee,	Willows,	Orland,
Blue Canon,	Chico,	Folsom.
Colfax,	Woodland,	

RULE D 97 (A). On double track trains may run extra moving with the current of traffic without running orders between Elvas and Brighton, Sacramento and Sparks, but helper engines returning from Emigrant Gap westward must obtain clearance at Emigrant Gap Junction.

RULE 98. DRAWBRIDGES NOT INTERLOCKED

Sacramento River at Knights Landing.
Sacramento River at Tehama.
Trains must not stop on drawbridge at Knights Landing.

RULE D-151. On double track between Sparks and East end of Tunnel No. 41 signals used by trackmen will be placed on the left of the track in direction of movement.

RULE D-152. Does not apply between 15th Street and Sacramento River bridge, Sacramento, between Yosemite Street first road crossing east of Roseville passenger station and cut-off at Dry Creek west of Roseville yard office.

RULE 221. That portion reading “Train-order office hours will be shown in the time-table” is cancelled.

When a train-order signal indicates proceed in both directions by day, and in addition the light indicates proceed by night, the office will be considered a closed train-order office.

RULE 516. Overlap posts are painted white at the top, black at the base and stand about six feet high. Overlaps are located at: Wyo.

RULE 876. Standing air brake tests must be made at:
Summit, Norden, Stirling City, Placerville.

Passenger trains not scheduled to stop at Norden or Summit, when helpers are not cut, will discontinue making rear end air test, but must comply with Rule 875 of the Rules and Regulations of the Transportation Department.

RULE 887. In Valley territory engines may take oil and water without cutting off from train at all points, except Marysville.

On ascending grades between Roseville and Sparks, engines may take oil and water without cutting off from train at all stations except Gold Run.

AUTOMATIC BLOCK SYSTEM

When signals 889, 890, 891, 892 and 893, in Sacramento yard, indicate “stop,” trains will not proceed until signal indicates “proceed” or hand signals are given by switchtender, green flag by day, green light by night. In foggy or stormy weather, flagman must precede train when signal indicates “stop.”

Three-arm automatic block signal on No. 2 track at junction switch, Rocklin, governs the movement of eastward trains. The upper home and distant signal govern the use of No. 2 track. The lower home signal will clear only when No. 4 track is clear and switch lined for movement to Loomis on No. 4 track

On No. 1 track between Newcastle and Loomis, automatic block signal rules governing trains on single track will apply.

Trains stopped by signal 2134 or 2141 Gerber yard, may then proceed with caution, not exceeding six miles an hour.

Distant signals only are operated at Sheridan, Ostrom, West end of Marysville and Yuba City; these signals indicate caution when switch is open or a train occupies main track between signal and switch.

When trains are stopped by automatic block signals, No. 1158 west of Lincoln, No. 1173 east of Lincoln, No. 1280 west of Wheatland or No. 1291 east of Wheatland, stop, then proceed with caution not exceeding six miles per hour to signal governing opposite direction.

INTERLOCKING

SACRAMENTO RIVER DRAWBRIDGE.—This interlocking plant is for protection of drawbridge and not for railroad crossing which is located at the east end of bridge.

Limits extend from home signal 350 feet west of bridge to home signal at east end of bridge.

NINETEENTH STREET, SACRAMENTO.—At crossing of R Street track with Western Pacific R. R.

Trains wishing to use industry or transfer tracks will give one long, one short and one long rings on push button located on home signal cases.

Limits extend from home signal 400 feet west of tower to home signal 700 feet east of tower.

ELVAS—Trains from Sacramento to Brighton will be governed by lower and trains from Sacramento to Roseville by upper signal. From Roseville to Sacramento by upper, from Roseville to Brighton by lower signal. From Brighton to Sacramento by upper, from Brighton to Roseville by lower signal.

Last paragraph Rule 628 is amended permitting towerman at Elvas to give signals from tower instead of on the ground.

Whistle signal governing routes as follows:
To Roseville, one long and one short, ——— o.
To Sacramento, three long and one short, ——— ——— ——— o.
To Brighton, two long and three short, ——— ——— o o o.
To siding, three short and two long, o o o ——— ———.
To third track, two short, two long, o o ——— ———.
To spur, one short, two long, o ——— ———.

Limits on Sacramento-Roseville line extend from home signal 1400 feet west of tower to home signal 900 feet east of tower. On Elvas-Brighton line extend to home signal opposite automatic signal 1357 on eastward track and to dwarf signal 400 feet east of signal 1357 on westward track.

SUMMIT.—Limits as follows:
No. 2 Track from Signal Bridge west of Norden Office to westward signal west of crossovers Eder.
No. 1 Track from east portal Tunnel No. 6 to signal bridge west of Norden Office.

Following switches and derails within interlocking limits are hand operated and switches must not be thrown until permission has been obtained from signalman.

West leads to turntable and west switch Norden siding, derails electrically locked, movements from these leads and west switch Norden siding governed by signals after derails and switches have been lined.

Fire Train Spur. Derail electrically locked and movement from this spur governed by signal after derail and switch have been lined.

West Crossovers. Crossover switches must not be used until movement through them is authorized by signalman. Eastward movement on both tracks governed by signal indication after crossover switches have been lined.

Runaround Tracks. Helpers from trains that may be left on runaround tracks after departure of trains from which cut, enginemen must communicate with signalman before lining switches to siding.

Switches must not be lined for movement from spur tracks without permission from signalman.

Rules 628 and 663 will not apply and the following will govern: Telephones located at signals establishing communication with signalman at Norden Office, when information necessary call signalman by one long ring and after giving number of train, route desired, etc., movement will be governed by signal indications or instructions of signalman and when such instructions have to do with an inoperative signal, trains will be preceded by a flagman to next home signal or clear distant signal.

When eastward trains are stopped by signals located on main track and on siding at east end of Norden and permission is given by signalman to pass same, trains will wait ten (10) minutes and then be preceded by flagman according to rules and follow flagman ten (10) minutes to next home signal or clear distant signal.

SNODGRASS SLOUGH.—Drawbridge located approximately two miles west of Walnut Grove, on Walnut Grove line, interlocked.

When signal indicates “stop,” trains must not move over drawbridge until flagman has preceded the train and ascertained that bridge is closed and track safe.

NINTH STREET TOWER, MARYSVILLE.—Crossing Western Pacific R. R. and Woodland-Oroville line.

Limits extend from a point 450 feet west of tower to a point 450 feet east of tower.

BINNEY JUNCTION TOWER.—Junction with Woodland-Oroville line and crossing Western Pacific R. R. Whistle signals governing routes as follows:

Main Track to or from Gerber, one long, one short ——— o.
Main Track to or from Oroville, two short. two long, o o ——— ———.
Siding to or from Gerber, one short, three long, o ——— ——— ———.
Siding to or from Oroville, three long, one short, ——— ——— ——— o.
Siding to or from west leg of wye, three short, two long, o o o ——— ———.
Main Track to or from west leg of wye, two long, three short. ——— ——— o o o.
Main Track to or from east leg of wye, one short, one long, one short, one long, o ——— o ———.
To Spur, one short, two long, o ——— ———.

Limits on Roseville-Gerber line extend from signal bridge 1300 feet west of tower to home signal 500 feet east of tower. On Oroville line extend from signal bridge to home signal 950 feet east.

LIVE OAK TOWER.—Crossing Sacramento Northern R. R. one half mile east of Live Oak. Eastward trains, when standing on main track to meet trains at Live Oak, will stop west of east house track switch to avoid holding interlocking signal against such trains.

Limits extend from home signal 500 feet west of tower to home signal 400 feet east of tower.

WOODLAND.—Crossing Sacramento Northern R. R.

Whistle signals governing routes as follows:
For Tehama to or from siding, one long, one short, ——— o.
For Tehama to or from house track, three long, one short. ——— ——— ——— o.
For Knights Landing toor from siding, one short, three long, o ——— ——— ———.

Limits on Davis-Tehama line extend from home signal 450 feet west of Sacramento-Northern R. R. crossing to home signal 500 feet east of crossing. On Woodland-Oroville line extend to dwarf signal 200 feet east of crossing.

MISCELLANEOUS

1. All available retainers on passenger trains while in motion will be used as follows:

Westward trains, Summit to Long Ravine Bridge, New England Mills to Loomis, Stirling City to Mile Post 188, eastward trains Norden to Truckee.

When train has stopped, engineman will release air brakes and retainers must be turned down and engineman notified by one blast of air signal whistle.

2. All available retainers on freight trains will be used as follows:
Westward trains, Summit to Long Ravine Bridge, New England Mills to Loomis, Stirling City to Mile Post 188; eastward trains Norden to Truckee.

4. Freight trains and light engines, except Mallets, on descending grade will make a stop of ten minutes between switches at the following stations to permit wheels to cool, trainmen will make a careful inspection of all cars, and enginemen inspect engine.

Stanford:
Hinton: (Inspection may be made at Floriston instead of Hinton when that station can be made ahead of passenger train schedules.)
Summit. (Westward Trains).
Norden. (Eastward Trains).
Troy.
Yuba Pass.
Knapp.
Midas.
Gold Run.
Colfax.
Flint (Except westward freight trains that stop at Auburn, will inspect at Auburn instead of Flint).
Latrobe.
Paradise.
Doon.
Crouch.

Passenger trains stop at Paradise 5 minutes to cool wheels.
Mallet engines running light on descending grades will make stop of sufficient length of time to inspect engine.

5. All freight trains stop and make rear end air brake test immediately before leaving Summit and Norden. Road engineer, helper engineers and conductors are responsible for brake pipe pressure throughout the train.

When cutting helpers on westbound freight trains at Summit, head portion of train must not be moved until rear of train is coupled and rear end test made.

If standard air pressure of 80 pounds as indicated on air gauge on engines or caboose falls to 70 pounds on westward freight trains between Lake View and Summit, immediate action must be taken to stop train before passing over summit of grade.

7. Air plugs must be used on all freight trains between Sparks and Roseville. These plugs will be handled by carmen at Sparks and Roseville; but must be applied and removed when necessary by trainmen at intermediate stations.

8. When handling train lots of light loads, such as solid trains of automobiles on descending grades, trainmen will alternate the retainers in the same manner as at present is customary in handling train lots of empties, Rule No. 56—Care and operation of brakes and air signal apparatus.

9. On freight trains ascending and descending grade between Emigrant Gap and Andover member of train crew must observe track from rear of caboose, that train may be brought to stop promptly in event of derailment.

11. Train Staff block is in operation Smart to Emigrant Gap on No. 1 track.

Signal indications are given by light signals.

Westbound home staff signal located two hundred fifty feet east of station Smart, indications as follows:

Red:—Stop and stay.
Green:—Proceed, staff in crane Smart—Emigrant Gap block.

TRAIN ORDER SIGNALS

18. Crystal Lake:

Westward signal located two thousand (2000) feet east of station, on right of track and

Eastward signal, one hundred (100) feet west of Tunnel No. 37, on left of track in direction of train movement.

Cisco:

Westward signal located one hundred (100) feet east of Tunnel No. 3, and

Eastward signal located one thousand (1,000) feet west of office, on right of track in direction of train movement.

Troy:

Westward signal located at clearance Troy spur eighteen hundred (1,800) feet east of office, and

Eastward signal located at end of shed two hundred (200) feet west of Tunnel No. 38, on right of track in direction of train movement.

Norden:

Westward signal located nine hundred (900) feet east of station, and

Eastward signal located eight hundred (800) feet west of station on right of track in direction of train movement.

Andover:

Westward signal located one thousand (1,000) feet east of office, on left of track and

Eastward signal located three hundred (300) feet east of crossover, on right of track in direction of train movement.

These train order signals carry identification "Train Order Signal" in illuminated letters on signal mast.

Indication of these train order signals will be by lights only. Red light indicates "Stop," Green light indicates "Proceed."

When trains reach a point approximately three hundred (300) feet from these train order signals, if no train orders, light will change from "Stop" (Red) to "Proceed" (Green).

If signal is first seen in "Proceed" indication (Green) clearance card must be obtained.

When approaching these train order signals, enginemen will not sound signal 14-J or acknowledge "Proceed" by sounding signal 14-G as required by Rule 221.

Westward trains moving through sidings at Crystal Lake and Troy will not be governed by train order signals, but must obtain clearance card before leaving.

At Cisco, when westward train order signal indicates stop, train will stop to clear switch to Fire Train Spur located three hundred (300) feet east of office.

At Andover, when eastward train order signal indicates stop, train will stop to clear switch to Fire Train Spur located three hundred (300) feet west of office.

SACRAMENTO—ROSEVILLE—BRIGHTON

41. Tracks between Sacramento and Roseville numbered as follows:
No. 1 Track, Westward main track
No. 2 Track, Eastward main track.

42. Westward trains via Brighton having cars to set out at Elvas will use east end of center siding using switch at road crossing.

43. Eastward trains from Brighton having cars to set out at Elvas will use west end of center siding and set cars in at switch near road crossing.

44. 5000 Class Engines will not clear umbrella sheds of Sacramento passenger station and must not be used on Tracks 2, 3, 4, 5, 6 and 7.

45. Southern Pacific trains will approach Western Pacific R.R. crossing at Front and R Streets, Sacramento, with caution, expecting to find crossing occupied. Southern Pacific yard engines will stop and ascertain that crossing is clear before proceeding.

46. Southern Pacific and Western Pacific trains and yard engines must ascertain that all switch and industry track crossings in the vicinity of Front and R Streets are clear before using.

47. Trains and yard engines must not pass the switch tenders stations at east end Sacramento River Bridge, Sixth Street, Seventh Street and Fifteenth Street, Sacramento, without receiving a signal from switch tender to proceed, green flag by day and green light by night.

48. Trains will stop within two hundred feet of Sacramento Northern R. R. crossing Front and R Streets Sacramento before crossing.

49. Movement of trains, engines or cars in switching over crossing of the Southern Pacific tracks and the electric lines at Front and M Streets, Sacramento, will be governed as follows:

Eastward and westward Southern Pacific trains running on Front Street, Sacramento, and Southern Pacific yard engines switching on Front Street will stop before reaching the crossing at Front and M Streets, and will proceed on hand signals from flagmen on the ground in the center of the crossing, flagman using a green flag by day, and a green light by night.

Sacramento northern trains and San Francisco & Sacramento Railroad trains will stop before reaching the crossing, and will proceed on signal from the flagman in the center of the crossing, flagman using a yellow flag by day, and a yellow light by night.

ROSEVILLE—SPARKS

51. Tracks between Roseville and Sparks numbered as follows:

No. 1 Track, Westward main track via Auburn.

No. 2 Track, Eastward main track via Auburn, Nevada Street.

No. 4 Track, between Rocklin and Loomis; diverges from No. 2 track at Rocklin and runs on south side of No. 1 track, one-half mile east of Rocklin to Loomis, connecting with No. 1 track at Loomis.

52. Markers must be kept lighted on No. 2 track between Rocklin and Colfax and on Nos. 1 and 2 tracks Knapp and Truckee at all hours. Trainmen in this district must turn markers at all hours, as per Rule 19, Book of Rules.

53. Mallet engines, 2-10-2 engines, 4-10-2 engines and Mikado engines should not be operated over the following tracks:

Penryn, fruit spurs west of station.
Newcastle, all spurs.
Flint, Standard Oil spur.
Auburn, high line.
Nev. St., Auburn, spurs.
W. Applegate, spur.
Colfax, material spur in west yard.
Magra, spur.
Towle, spur.
Blue Canon, dump spur.
Blue Canon, oil spur.
Clipper Gap, team track east of road crossing.
W. New England Mills, spur, west of tool house.
Blue Canon, Greek spur east of oil column.

54. On eastward trains from Roseville for the mountain, ten empties must be placed immediately behind head engine; this to apply when trains are made up of mixed loads and empties. Also, it must be distinctly understood that all trains for the mountain be made up with steel underframe cars between head engine and pusher engines; this to include Colfax set out. Steel frame cars for Colfax must be placed immediately behind head engine, and wooden frame cars for Colfax will be placed next to the caboose.

55. On account of storage tanks of Standard Oil Company near tracks at Enwood do not sand flues of engines when passing these tanks, nor until after engine has passed Enwood.

56. Crews of light engines moving westward, with instructions to deliver engines to roundhouse at Colfax, in making movement through cross-over east of passenger station to the round-house lead switch, may do so without complying with Rule D-152 and without protecting against current of traffic, except when on the time of a first-class eastward train or during foggy or stormy weather, in which case proper protection must be provided.

Eastward trains, except first-class, must stop before fouling the switch of roundhouse lead connecting with the eastward main track, and before proceeding, must know that the track to the cross-over east of the passenger station is clear.

57. When necessary for eastward freight trains to double to Cape Horn, rear of train will be properly secured, and head of train taken to Cape Horn and properly secured on siding beyond derail; engine will then return for rear of train in usual manner.

58. The tonnage of freight trains between Summit and Loomis, must not exceed 100 M's per operative brake.

59. Eastward freight trains with helpers to cut at Norden will take siding. Westward freight trains with helpers to cut at Summit will take upper siding.

60. Train No. 9 will stop five (5) minutes at Midas for inspection and to permit of heat equalizing through wheels.

67. The tonnage of freight trains between Norden and Truckee must not exceed 120 M's per operative brake.

68. Yellow light signals on leads to turntable at Norden. These signals will indicate route to be used from turntable. If no indication visible when locomotive is ready to leave turntable, telephone signalman at Norden for instructions.

69. Mallet Engines will not be operated over the following switches:
Spur switch, Eder.
Lumber spur switch, Summit.
Spur switch, Spruce.
Outfit spur switch, Cisco.
Spur switches, Yuba Pass.
The following spurs may be used only part way by Mallet engines, such distance in each case being shown below:
Andover, outfit spur, 3 car lengths back of frog.
Lake View, 6 car lengths back of frog.
Soda Springs, to corral chute.
Campbell Spur, Cisco, to corral chute.

MISCELLANEOUS—Continued.

MINIMUM CLEARANCES FOR ROTARY PLOWS, BLUE CANON EAST

71. Push cars in shed district must be placed between posts providing for proper clearance.

Tunnels 3 and 4 shed posts clear 8 to 10 inches.

Tunnel 5, 8 inches clearance.

East and west of mile post 195, stone walls clear 6 inches. Water trough east of tunnel 10 clears 5 inches.

East end of tunnel 11 clears 8 inches.

Rotary plow on an 8 or 10 degree curve will swing approximately 7 inches from center.

All crews handling plows through district where standard clearance is not provided must reduce speed to six miles per hour through tunnels and at rock walls.

72. Normal position turntables on Truckee District will be as follows:

Blue Canon......West approach, on account of repair platform on west end.
Emigrant Gap....East approach, with motor on east end.
Cisco...........East approach, with motor on east end.
Norden..........East approach to Eastward Track.
Andover.........West approach.

Train and enginemen using these tables must leave them lined as shown above.

Box No.	ALARM BOX LOCATIONS	Mile Post
3	300 feet east of east portal Tunnel No. 1	...
4	¾ mile east of Blue Canon	...
5	300 feet west of Signal 1687 (Gunter)	...
6	Fulda. 200 feet east of Signal 1697	...
7	Signal 1707, 500 feet east of west switch Emigrant Gap	...
8	Cross-over east of turntable house, Emigrant Gap	...
9	Between Smart and Emigrant Gap	173
12	Between Smart and Yuba Pass	174
13	Between Smart and Yuba Pass	175
14	In first shed west of Yuba Pass	...
15	East switch of Summer siding, Yuba Pass	...
16	End of shed east of portal Tunnel No. 36	...
17	West end of center siding, Crystal Lake	178
18	West end Butte Canyon Bridge	179
19	200 feet west of west cross-over, Cisco	180
21	End of shed east portal Tunnel No. 39	181
22	1½ miles east of Cisco	182
23	½ mile west of cross-over, Tamarack	183
24	½ mile east of cross-over, Tamarack	184
25	Between Tamarack and Troy	185
26	¼ mile west of west switch, Troy on No. 1 track	...
27	East switch, Troy	186
28	600 feet east of Lower Cascade Bridge	187
29	¼ mile east of Upper Cascade Bridge	188
31	Between Spruce and Soda Springs	189
32	In first shed west of Soda Springs	190
33	300 feet east of cross-overs, Soda Springs	...
34	Castle Creek Bridge (Culvert 190-0)	...
35	East switch of west run-around track on No. 1 track, Summit	...
36	1000 feet west of west portal Tunnel No. 6	193
37	East portal Tunnel No. 6	194
38	Between Tunnels No. 9 and 10	195
39	West Switch, Lake View	...
41	1 mile east of Lake View	197
42	½ mile east of cross-overs, Eder	198
43	Between Eder and Andover	199
44	Between Eder and Andover	199½
45	300 feet west of west portal Tunnel No. 13	200
46	100 feet east of Andover Section House	...
47	At Andover Station	201
48	In turntable house, Summit	...
49	East switch of run-around on No. 2 track, Norden	...
51	East switch of siding on No. 2 track, Norden	...
52	West portal Tunnel No. 41	...
53	Center of Tunnel No. 41	...
54	East portal Tunnel No. 41	...

Code signals following box numbers are as follows:

One—East. Two—West. Three—Broken rail.
Four—Track men. Five—Slide. Six—Fire.

74. Engines using Wye at Tahoe will back around east leg, head around west leg. Account curvature west leg of Wye.

ROSEVILLE-GERBER

76. Trains on the Roseville-Gerber line when calling in flagman from the east at Roseville, will give six long sounds of the whistle.

77. Trains using spur track serving the Stockton Fire Brick Co. across highway at Clayton will be governed by the following:

This spur must not be used by any class of engine larger than 2700 Class.

No locomotive, train or car shall be operated over highway crossing except between the hours of 7:30 P. M. and 7:30 A. M.

All trains, motors, engines or cars must stop before crossing the highway and must not proceed to cross highway until Conductor or other competent employee has gone upon the crossing to ascertain if it is safe to do so and until suitable signal to proceed has been given.

78. West end of Nelson siding, between cross-over just east of station building and extreme west switch, may be occupied by cars for commercial loading.

79. Oil trains in valley district will be made up with ten steel frame empty cars immediately behind engine, loaded oil cars to follow; to be made up in this manner when consist of mixed loads and empties.

80. Trains must pass over S. N. R. R. crossing 9th Street Chico with caution.

81. Sidings at Los Molinos, Nord and Lomo and team track, Mill spur and Earl Fruit spur Marysville must not be used by mikados, mallets, or 2-10-2 type engines.

DAVIS-TEHAMA

82. Trains when calling in flagman from the west on west side of valley Tehama, will give six long sounds of the whistle.

83. Trains when calling in flagman from the east at Davis, on Davis-Tehama Line, will give six long sounds of the whistle.

84. Siding at Harrington will be used as follows: West end west of crossover as westward siding; East end east of crossover as eastward siding; Junction switch located at crossover.

85. Track 2 of the two tracks paralleling the main track at Wyo will be used as siding. All cars to be stored at this point should be placed on Track 1 with east and west ends providing proper clearance for clear movement through Track 2.

CHICO-STIRLING CITY

89. Cars will not be handled ahead of engine at any point between Stirling City and Chico on westward trip.

90. Two engines must not be coupled together on Stirling City line. Helper engines must be cut back in train.

91. The tonnage of freight trains between Stirling City and Chico must not exceed 80 M's per operative brake.

92. Trains will stop within two hundred feet of Sacramento Northern R. R. crossing on Chico-Stirling City line before crossing.

WOODLAND-OROVILLE

94. Trains to and from Woodland-Oroville line will use Woodland siding but have no time-table authority. **Switches of this siding will be set to lead from Knights Landing line.**

95. Trains must stop within two hundred feet of Sacramento Northern R. R. crossing at Yuba City, and Knights Landing draw-bridge before crossing.

96. Trains when calling in flagman from Swayne Lumber Co. logging road at Oroville, will give six long sounds of the whistle.

97. Trains will pass over S. P. R. R. crossing at Grace with caution.

98 No engine larger than Mogul engines with 200,000 pounds and Consolidation engines with 225,000 pounds on the drivers should pass over By-Pass Trestle on Knights Landing Branch.

SACRAMENTO-PLACERVILLE

100. The tonnage of freight trains between Placerville and Folsom must not exceed 100 M's per operative brake.

101. Trains when calling in flagman from the east at Brighton on Sacramento-Placerville line will give six long sounds of the whistle.

SPECIAL SIGNALS

Signal 1706 at Emigrant Gap.

Indications as per following:

Rule 501, Fig. 6—Stop and proceed as per Rule 509.

Rule 504, Fig. 7—Proceed.

Rule 502A, Fig. 3—Proceed prepared to stop at next home signal.

Rule 502, Fig. 3—Take siding.

Disc signals located 2,000 feet east of east switch at Gold Run and on signal mast 1520 near west switch Gold Run and at west switch Colfax, controlled by operators, will govern movement of trains as follows:

When showing yellow disc or yellow light; take siding.

When showing white disc or green light; proceed, if train orders or schedule permits.

Light signal on mast of signal 1427 east of Colfax, controlled by operators.—Indications are given by illuminated letters and figures as follows:

M—Hold Main Track.

X—Take cross over for roundhouse and be governed by special Rule No. 56, page 14, of time table, covering this movement.

1—Take No. 1 siding at cross over east of road crossing.

2—Take No. 2 Siding at East Switch.

No light—Proceed, if train orders or schedule permits.

Junction switch located 150 feet east of S. P. R. R. crossing at Brighton, on Sacramento-Placerville line, will be lined for movement via Elvas. The upper arm of signal 947 governs movement to Elvas, the lower arm governs movement to R Street.

Junction switch at Tehama will be normally lined for movement via Chico, upper arm signal 2119 will govern Gerber-Roseville line; lower arm will govern Tehama-Davis line.

Normal indication of signal 2118 will be "proceed;" normal indication of signal 2116 will be "stop."

Trains from Tehama-Davis line will not pass Signal 2116 until junction switch is lined for Tehama-Davis line and will then be governed by Rule 509.

LOCATION OF CROSS-OVERS:

NEAREST STATION	MILE	TYPE AND CHARACTER
Hopfen	134.5	Trailing point, 125 feet from head-block of spur.
Elvas	91.8	Trailing point, 17 feet from head-block of wye.
Swanston-East	93.7	Trailing point, 613 feet from spur.
Benali-West	94.3	Trailing point, 132 feet from west head-block of siding.
" -East	95.1	Trailing point, 130 feet from east head-block of siding.
Walerga-East	99.4	Trailing point.
Rocklin-West	110.1	Trailing point, 138 feet to west head-block.
" -East	110.6	Trailing point, 120 feet to west head-block.
Loomis	112-H	Trailing point, from westward track to No. 4 track, head-block on westward track 30 feet east of 112-H.
Newcastle-West	120.1	Facing point, 600 feet west of station.
" -East	120.2	Trailing point, 250 feet east of station.
Bowman	129.1	Trailing point, 200 feet west of station.
Clipper Gap	131.5	Trailing point, 300 feet east of station, connecting with east end of westward siding.
Colfax-West	141.3	Facing point, 1400 feet west of station.
" -Middle	141.8	Facing point, 700 feet east of station.
" -East	142.2	Trailing point, 2500 feet east of station.
Magra	148.2	Trailing point, 1400 feet west of station.
Gold Run-West	152.0	Trailing point, 1300 feet west of station.
" " -Station	152.1	Facing point, 400 feet west of station.
Dutch Flat	154.2	Trailing point, 700 feet east of station.
Towle	156.5	Trailing point, 1600 feet west of station.
Forebay	163.0	Trailing point, opposite station.
Blue Canon	166.8	Trailing point, 1200 feet east of station.
" "	166.9	Facing point, 1600 feet east of station.
Emigrant Gap	171.5	Trailing point.
Yuba Pass	176.1	Trailing point.
Cisco	179.9–180.3	Facing and trailing points.
Tamarack	183.4	Trailing point.
Soda Springs	190.4	Trailing point.
Norden	192.0	Facing and trailing points.
Eder	197.7	Facing and trailing points.
Andover	201.0	Facing and Trailing points, 594 feet west.
Prosser Creek	214.0	Trailing point, 3366 feet east.
Boca	216.0	Trailing point, 2046 feet east.
Floriston	222.0	Trailing point, 410 feet west.
Mystic	226.0	Trailing point, 570 feet east.
Lawton	238.0	Trailing point, 200 feet east.

SPEED RESTRICTIONS

Speed of passenger trains must not exceed 50 miles per hour.

Speed of freight or mixed trains must not exceed 35 miles per hour.

Trains must not exceed the speed in miles per hour as shown below. This does not authorize exceeding other speed restrictions specified:

Pages	Between	Passenger	Freight or Mixed	Engines and Motor Cars Backing	Motors Backing thru yards and over Highway Crossings
2-3	Sacramento—Elvas	15	15	15	10
2-3	Elvas—Roseville	50	35	20	10
2	Roseville to Colfax	50	35	20	10
2	Colfax to Blue Canon (No. 2 Track	35	25	15	10
3	Blue Canon to Loomis (No. 1 Track	35	20	15	10
3	Loomis to Roseville (No. 1 Track	50	25	20	10
4-5	Blue Canon—Truckee	30	20	15	10
4	Truckee to Sparks	40	35	15	10
5	Sparks to Truckee (No. 1 Track)	50	35	20	10
11	Truckee—Tahoe	40	30	20	10
6-7	Roseville—Gerber	50	35	20	10
8-9	Davis—Tehama	50	35	20	10
10	Woodland—Marysville	45	35	20	10
10	Marysville—Oroville	35	25	20	10
10	Harrington—Wyo	30	25	20	10
10	Willows—Fruto	20	15	12	10
11	Brighton—Folsom	50	35	20	10
11	Citrus-Fair Oaks	25	20	15	10
11	Folsom—Placerville	30	15	12	10
11	Sacramento—Walnut Grove	30	20	15	10
12	Grace—Josephine	30	20	15	10
12	Marchant—Karnak	30	20	15	10
12	Chico and M.P. 188 Stirling City Br.	30	25	20	10
12	M. P. 188 and Stirling City	20	12	12	10

Speed of trains regulated by ordinance through city limits:

15 Miles Per Hour

Sacramento	Lincoln	Gridley	Orland	Reno
Rocklin	Wheatland	Corning	Willows	

On curves of 6 degrees trains must not exceed 40 miles per hour and on curves of 7 to 10 degrees 30 miles per hour.

Mallet Mogul engines 4200 to 4211 inclusive, consolidation, and mikado engines must not exceed 40 miles per hour.

Mallet consolidation engines must not exceed 25 miles per hour on tangent and 20 miles per hour on curves.

4-10-2 type engines must not exceed 45 miles per hour on tangent and 25 miles per hour on curves of 7 to 10 degrees.

Maximum allowable speed of 2-10-2 and 4-10-2 type engines in passenger service as follows:

(a) On tangent track, 45 miles per hour.

(b) Type F-1: Restricted to same speeds on curves as are generally applicable to other passenger power.

(c) Type F-3) F-4) F-5) Restricted to 25 miles per hour on curves of 7 to 10 degrees inclusive; on lighter curves subject to same restrictions as are applicable to engines of lighter type.

2-10-2 and 4-10-2 type engines must not exceed 25 miles per hour between Truckee and Blue Canon and other points where slow boards indicate 30 miles per hour for passenger trains.

Trains with Mallet engines must not exceed 8 miles per hour and trains with other classes of engines 15 miles per hour when using cross-overs, turn-outs and on sidings, and run with caution through interlocking plants.

Relief trains with steam derricks must not exceed 25 miles per hour and will be governed by other speed restrictions

Speed of relief train with steam derrick, over By-Pass Trestle on Knights Landing Branch must not exceed ten miles per hour, speed over Colusa, Sutter Basin, Stirling City and Placerville Branches must not exceed fifteen miles per hour.

Flangers operating between Lawton and Colfax must not exceed 30 miles per hour and be governed by other speed restrictions.

Trains handling loaded Flint hoppers will not exceed twenty-five (25) miles per hour.

At intermediate stations where mail is dispatched while trains are in motion speed will be reduced sufficiently to avoid injury to passengers or others who may be standing on station platforms.

SACRAMENTO-ROSEVILLE-BRIGHTON

Trains and engines must not exceed 15 miles per hour through Elvas interlocking plant.

Trains and engines must not exceed 12 miles per hour over crossing just east of Sacramento River Bridge and over Lincoln Street crossing, Roseville.

Where speed of passenger trains is restricted to 50 miles per hour speed of No. 9 is restricted to 60 miles per hour.

ROSEVILLE-SPARKS

Trains must not exceed 20 miles per hour over Long Ravine bridge east of Colfax on Nos. 1 and 2 tracks.

Westward freight trains must not exceed 15 miles per hour when passing eastward passenger trains on parallel track between Emigrant Gap and Long Ravine bridge.

No. 9 reduce to six miles per hour passing Colfax station to dispatch mail.

Trains must not exceed 12 miles per hour over siding Tunnel Six.

Engines must not exceed 12 miles per hour on balloon track at Truckee.

Eastward trains must not exceed 12 miles per hour between west switch and yard office at Sparks.

ROSEVILLE-GERBER

Trains must not exceed 25 miles per hour over Feather River bridge east of Binney Junction. This includes approaches as well as trestle on the curve just east of Feather River

Speed of all trains will be restricted to 15 miles per hour between the overhead bridge at Roseville, on the Roseville-Gerber line, and the passenger station at Roseville.

5000 Class Engines must not exceed twenty-five (25) miles per hour between Live Oak Tower and Biggs; twenty (20) miles per hour between Biggs and Bridge 175-A; twenty (20) miles per hour between Soto and Vina; and twenty-five (25) miles per hour between Vina and Tehama.

Trains handling cars of oil reduce speed to twenty-five (25) miles an hour between Mile Post 200 and Los Molinos.

DAVIS-TEHAMA

Trains must not exceed 12 miles per hour over Court Street crossing, Woodland.

WILLOWS-FRUTO

Freight trains must not exceed twelve miles per hour on curves between Kurand and Fruto.

WOODLAND-OROVILLE

Trains must not exceed 12 miles per hour over Long Trestle east of Knights Landing.

Trains must not exceed 12 miles per hour over railroad crossing Second Street east of Yuba City station.

Trains must not exceed fifteen (15) miles per hour over Tisdale By-Pass crossing.

SACRAMENTO-PLACERVILLE

Motor cars must not exceed 25 miles per hour between Mile Post 138 and Placerville.

Trains having cars loaded with ore or high loads of lumber must not exceed 12 miles per hour on curves 7 degrees or over.

CHICO-STIRLING CITY

Engines must not exceed 12 miles per hour on balloon track Stirling City.

Trains must not exceed 5 miles per hour through Doon tunnel.

WALNUT GROVE BRANCH

Trains and engines must not exceed six (6) miles per hour over Spreckels Sugar Co. Spur at Walnut Grove Wharf.

SPEED TABLE

Miles per Hour	1 Mile in		Miles per Hour	1 Mile in		Miles per Hour	1 Mile in		Miles per Hour	1 Mile in	
	Min.	Sec.		Min.	Sec.		Min.	Sec.		Min.	Sec.
6	10	......	21	2	51	31	1	56	41	1	27
8	7	30	22	2	43	32	1	52	42	1	25
10	6	......	23	2	36	33	1	49	43	1	23
12	5	......	24	2	30	34	1	45	44	1	21
15	4	......	25	2	24	35	1	42	45	1	20
16	3	45	26	2	18	36	1	40	46	1	18
17	3	31	27	2	13	37	1	37	47	1	16
18	3	20	28	2	8	38	1	34	48	1	15
19	3	9	29	2	4	39	1	33	49	1	13
20	3	......	30	2	......	40	1	30	50	1	12

MAXIMUM SPEED FOR WHICH ENGINES ARE COUNTERBALANCED

All engines, with the following exceptions, are counterbalanced for a speed in miles per hour equal to the number of inches in diameter of driving wheels:

Class of Engine	Engine Numbers	Maximum Speed in Miles per Hour	Maximum Wheel Pressure
A-1	3000 to 3009	63	45120 lbs.
MC-1	4000 to 4001	53	42760 lbs.
MC-2	4002 to 4016	53	42760 lbs.
MC-4	4017 to 4028	53	43130 lbs.
MC-6	4029 to 4043	53	43230 lbs.
MC-6	4044 to 4048	53	42680 lbs.
MK-2	3200 to 3202, 3205, 3206, 3210, 3211.	49	46140 lbs.
MK-4	3216 to 3230, 3232 to 3235	49	45560 lbs.
MM-2	4200 to 4211	56	46300 lbs.
T-6	2187, 2190, 2194, 2200, 2203, 2204, 2205	50	22740 lbs.
T-6	2197, 2208	45	24110 lbs.
T-28	2311 to 2314, 2316, 2317, 2320, 2323, 2325, 2327, 2328, 2330, 2342, 2343, 2352	54	46220 lbs.
TW-2	2946, 2948 to 2953	43	25860 lbs.
TW-4	2926 to 2931	44	26000 lbs.

Note.—Maximum speed in miles per hour is based on vertical disturbing force of counterbalance not exceeding 75% of static wheel load, and maximum wheel pressures shown obtain at speeds indicated.

The above table is for information of enginemen and must not be construed to authorize exceeding speed restrictions.

LIST OF SURGEONS.

LOCATION	NAME	TITLE
San Francisco	Dr. W. B. Coffey	Chief Surgeon.
Sacramento	Dr. A. M. Henderson	Division Surgeon.
Sacramento	Dr. G. L. Stevenson	District Surgeon.
Sacramento	Dr J Roy Jones	Aurist.
Sacramento	Dr. E. C. Turner	Oculist.
Roseville	Dr. B. Woodbridge	District Surgeon.
Roseville	Dr. Ernest E. Myers	Asst. District Surgeon.
Rocklin	Dr. H. D Fletcher	District Surgeon.
Loomis	Dr. P. D. Barnes	District Surgeon.
Newcastle	Dr. L. B. Barnes	District Surgeon.
Alta	Dr. B. F. Howard	Emergency Surgeon.
Auburn	Dr. G. H Fay	District Surgeon.
Colfax	Dr. Max Duniewitz	District Surgeon.
Dutch Flat	Dr. R. Heidrich	District Surgeon.
Blue Canon	Dr. H. N. Miner	District Surgeon.
Truckee	Dr. J. H. Bernard	District Surgeon.
Floriston	Dr. Alex. Patterson	District Surgeon.
Reno	Dr. W. H. Hood	Consulting Surgeon.
Reno	Dr. Horace J. Brown	District Surgeon.
Reno	Dr. M. R. Walker	Assistant District Surgeon.
Reno	Dr. John A. Fuller	Oculist and Aurist.
Lincoln	Dr. F. E. McCullough	District Surgeon.
Wheatland	Dr. F. W. Didier	District Surgeon.
Marysville	Dr. E. E. Gray	District Surgeon.
Live Oak	Dr. I. W. Higgins	District Surgeon.
Gridley	Dr. W. S. Lavy	District Surgeons.
Biggs	Dr. O. C. Hawkins	Emergency Surgeon.
Durham	Dr. J. L. Doyle	District Surgeon.
Chico	Dr. N. T. Enloe	District Surgeon.
Chico	Dr. D. H. Moulton	Associate District Surgeon.
Los Molinos	Dr. J. H. Belyea	District Surgeon.
Gerber	Dr. F. J. Bailey	District Surgeon.
Davis	Dr. W. E. Bates	District Surgeon.
Davis	Dr. Thomas E. Cooper	Assistant District Surgeon.
Woodland	Dr. H. D. Lawhead	District Surgeon.
Arbuckle	Dr. H. S. Powis	District Surgeon.
Williams	Dr. Ney M. Salter	District Surgeon.
Colusa	Drs. W. T. Rathburn and C. O. Poage	Emergency Surgeons.
Willows	Dr. C. W. Lund	District Surgeon.
Orland	Dr. S. Iglick	District Surgeon.
Stirling City	Dr. F. H. Lay	District Surgeon.
Corning	Dr. Robt. H. Burney	District Surgeon.
Oroville	Dr. E. A. Kusel	District Surgeon.
Folsom	Dr. Geo. H. Sanderson	District Surgeon.
Placerville	Dr. W. A. Reckers	District Surgeon.
Hamilton	Dr. Mary B. Poket	Emergency Surgeon.
Yuba City	Dr. Smith McMullen	District Surgeon.

NOTE.—Emergency Surgeons should only be summoned for temporary treatment when prompt attention is required and when patients cannot be sent to or await arrival of Division or District Surgeon.

SPECIAL INSTRUCTIONS

LOCATION OF STRETCHERS

Sacramento	Hospital
“	Baggage Room
Fair Oaks	Freight House
Hood	“ “
Walnut Grove	Baggage Room
Lincoln	“ “
Wheatland	“ “
Marysville	“ “
Gridley	“ “
Biggs	“ “
Chico (2)	“ “
Oroville	“ “
Knights Landing	Freight House
Woodland	Baggage Room
Williams	“ “
Willows (2)	“ “
Roseville	Power House
“	Car Dept.
“	Yard Office
“	Station
“	Hospital
“	Store Dept.
Rocklin	Baggage Room
Loomis	“ “
Penryn	Baggage Room
Newcastle	“ “
Auburn	Baggage Room
Colfax	“ “
Dutch Flat	“ “
Towle	“ “
Blue Canon (2)	“ “
” ”	Tool Car
Cisco	Baggage Room
Summit	“ “
Truckee(3)	“ “
Floriston	“ “

HOSPITALS

GENERAL	SAN FRANCISCO
EMERGENCY	SACRAMENTO
“	ROSEVILLE
“	GERBER
“	SPARKS

LOCATION OF OVERHEAD AND SIDE STRUCTURES NOT STANDARD CLEARANCE

Mile Post	LOCATION	DESCRIPTION
	SACRAMENTO YARD	
	Shop Yard	Oil House West of Store No. 1....Side
	Shop Yard	Sand spurs Nos. 1 and 2....Overhead
	Shop Yard	Machine Shop spur....Side
	Shop Yard	Roundhouse spur....Side
	Shop Yard	Track No. 2 Bone Yard Track....Side
	Shop Yard	Track No. 3 Laundry....Side
	Shop Yard	Track No. 2 Scrap Dock....Side
	Shop Yard	Track No. 3 Scrap Dock....Side
	Shop Yard	Track No. 9 Car Shop No. 5 (Tree)....Side
	Shop Yard	Track No. 5 Car Shop No. 5 (Tree)....Side
	6th and H Streets	Western Meat spur....Side
	6th Street	New Foundry Track....Side
	6th Street	Coke spur....Side
	6th Street	Foundry Track 6th Street....Side
	R between 11th & 12th	Lawrence Warehouse....Side
	R between 20th & 21st	Sacramento Valley Winery spur....Side
	R between 21st & 22nd	Barley spur Buffalo Brewery....Side
	R between 21st & 22nd	Buffalo Brewery spur....Overhead & Side
	R between 21st & 22nd	California Winery spur....Side
	B between 11th & 12th	Phoenix Mill spur....Side
	B between 8th & 9th	Consumers Ice Co. Track....Side
	3rd to 6th Streets	Track No. 4 Rolling Mill....Side
	6th Street	Water Tank....Side
	15th & N. B. Streets	Unloading pit center of Track, Golden Gate Atlas spur....
	13th & 14th on B St	Unloading pit center of Track, Clark and Henry spur....
	4th & R Streets	Sacramento Vegetable Growers Assn....Side
	5th & R Streets	Virden Packing Co. spur...Overhead & Side
	Front St. between M & N	Sacramento Northern Guy Pole....Side
	Walnut Grove Connection	2nd Street to Front St. Yard....Overhead
	Front St. between H & I	Stulsaft spur....Overhead
	SACRAMENTO-SPARKS—EASTWARD.	
94.9	Ben Ali	Cannon Phillips spur....Overhead & Side
106.6	Roseville	Icing track, PFE track No. 2 and New Icing track, PFE Plant....Side
106.6	Roseville	Car bodies & Lbr. on rip track....Side
	Roseville	P. F. E. Icing Tracks Nos. 0-1-2-3....
	Rocklin	Kesty Quarry spur....Overhead
	Rocklin	Henderson Quarry spur....Overhead & Side
	Rocklin	Pernu Quarry spur....Overhead
	Rocklin	Elickson Quarry spur....Overhead
110.6	Rocklin	Cal. Granite spur, Rocklin, Quar....Side
110.6	Rocklin	Stock Chute on Corral Track....Side
	E. of Rocklin	Antelope Creek bridge....Side
114.2	E. of Rocklin	Tunnel No. 15....Overhead
114.8	E. of Rocklin	Tunnel No. 16....Overhead
117.3	E. of Lincoln Ave., Penryn	Tunnel No. 17....Overhead
120.5	E. of Newcastle	Tunnel No. 18....Side & Overhead
122.7	E. of Newcastle	Tunnel No. 19....Overhead
123.2	E. of Newcastle	Tunnel No. 20....Overhead
124.7	E. of Nev. St., Auburn	Tunnel No. 21....Overhead
131.2	E. of Bowman	Tunnel No. 22....Overhead
132.7	E. of Clipper Gap	Tunnel No. 23....Overhead
132.9	E. of Clipper Gap	Tunnel No. 24....Overhead
133.1	E. of Clipper Gap	Tunnel No. 25....Overhead
133.3	E. of Clipper Gap	Tunnel No. 26....Overhead
133.8	E. of Clipper Gap	Tunnel No. 27....Overhead
134.8	E. of Applegate	Tunnel No. 28....Overhead
	SACRAMENTO-SPARKS—EASTWARD—Continued	
136.0	E. of Applegate	Tunnel No. 29....Overhead
138.7	E. of N. E. Mills	Tunnel No. 30....Overhead
139.2	E. of Lander	Tunnel No. 31....Overhead
139.4	E. of Lander	Tunnel No. 32....Overhead
141.7	Colfax	Automatic Signal Nos. 1420, 1421 & 1425 Side
141.7	Colfax	Water Col. W. of Station W. B....Side
141.7	Colfax	PFE Icing Platform....Side
144.5	E. of Colfax	Tunnel No. 33....Side & Overhead
144.7	E. of Colfax	Tunnel No. 34....Side & Overhead
152.2	Gold Run	Mail Crane....Side
	Gold Run	Water Tank West end of Yard....Side
152.4	E. of Gold Run	Oil & Water columns....Side
165.5	Blue Canon	Water Columns....Side
208.0	Truckee	Roundhouse portals....Side
208.0	Truckee	Oil sump doorways....Side
215.0	Prosser Creek	Ice House....Side
215.0	Prosser Creek	Support post for ice conveyor....Side
216.3	Boca	Ice House No. 7....Side
216.3	Boca	Support post for ice conveyor....Side
	Hinton	Highway Bridge....Side & Overhead
232.4	Verdi	Box factory platform....Side
242.9	Reno	Transfer track....Side
242.9	Reno	Buffalo Brewing Co. platform....Side
	COLFAX-ROCKLIN—WESTWARD	
132.7	W. of Applegate	Tunnel No. 0....Side & Overhead
124.5	Auburn	Ford & Son Warehouse, hill track....Side
124.5	Auburn	Lowell Warehouse, hill track....Side
124.5	Auburn	Fruit House Track, hill track....Side
124.5	Auburn	Hse. Track, Auburn I. & C. siding....Side
124.5	Auburn	Hse. Track, Ford & Son, Whse. siding...Side
123	W. of Flint	Cut....Side
122	W. of Flint	Cut West of 122....Side
	W. of Flint	Cut West of 122-G....Side
	W. of Flint	Cut West of 122-H....Side
	W. of Flint	Bloomer Cut....Side
113.9	Loomis	No. 1 Hill track, Earl Fruit Co....Side
113.9	Loomis	No. 1 Hill track, Law Bros., Fruit Hse..Side
	ROSEVILLE-GERBER	
117.0	Lincoln	Diamond Match Co., Lumbershed....Side
	Clayton	Stockton Fire Brick Co., Spur....Overhead
140.8	Marysville	W. T. Ellis Warehouse....Side
140.8	Marysville	Stock Corral Fence....Side
140.8	Marysville	Buckeye Mill platform....Side
140.8	Marysville	Marysville Ice & C.S.Co. platform....Side
122.0	Marysville, E Street	Yuba Construction Co., platform....Side
161.4	Biggs	Water Tank....Side
161.4	Biggs	Doty Warehouse....Side
161.4	Biggs	Rice Mill Siding....Side & Overhead
	CHICO-STIRLING CITY	
199.6	Ostrander	Cattle Guard....Side
206.2	Appleton	Station platform....Side
	WOODLAND-TEHAMA	
89.2	Elvaton	De Pue Gravel Hoist....Side & Overhead
103.2	Dunnigan	Water Tank....Side
117.6	Genevra	Water Tank....Side
124.2	Williams	Bartlett Water Co., shed platform....Side
124.2	Williams	Stoval-Wilcox Wholesale platform....Side & Overhead
124.2	Williams	Williams Warehouse Co., platform....Side
129.1	Cortena	Colusa & Lake Freight House platform..Side
133.0	Maxwell	Water Tank....Side
	WYO-HARRINGTON	
120.8	Grimes	Water Spout....Overhead
145.9	Princeton	Water Spout....Overhead
150.4	Codora	Warehouse....Side
165.9	Rotavele	Elevator....Side
177.4	Hamilton	Boiler House of sugar factory....Side
177.4	Hamilton	Shed over beet unloading track....Overhead
	DAVIS-OROVILLE	
80.7	Merritt	Freight house platform siding....Side
107.5	Marcuse	Warehouse platform, siding....Side
111.4	Tudor	Freight house platform siding....Side
111.4	Tudor	Water Tank....Side
112.4	Abbott	Earl Fruit Co. bldg. siding....Side
120.4	Yuba City	S.N.R.R. trolley wire, E. of depot.Overhead
135.0	Honcut	Stock corral chute....Side
135.0	Honcut	Station platform....Side
135.0	Honcut	Brown's Warehouse....Side
147.9	Oroville	C. L. Bills cement warehouse....Side
147.9	Oroville	Olive Produce Co. porch....Side
147.9	Oroville	Ice House platform....Side
	Sheffield	Platform on wye....Side
	SACRAMENTO-PLACERVILLE	
91.5	Sacramento, 23rd & R	Contractors' spur, building....Side
	Brighton	Unloading pit center of track A. Teichert Co. spur.
95.9	Perkins	Perkins' Store....Side
98.9	Mayhew	Humphrey Packing house platform....Side
98.9	Mayhew	Earl Fruit Co. platform....Side
122.3	Cothrin	Rock Cut....Side
126.4	Latrobe	Rock Cut....Side
126.5	E. of Latrobe	Rock Cut....Side
128.6	E. of Latrobe	Rock Cut....Side
148.7	Placerville	Water Tank....Side
	SACRAMENTO-WALNUT GROVE	
93.0	Charles	Stock Chutes at 93-A....Side
113.4	Walnut Grove	Pacific Fruit Bldg....Side

AVERAGE WEIGHT OF PASSENGER TRAIN CARS

CLASS	All Steel	Steel Underframe	Wood
Baggage	96,200	......	77,900
Baggage (Dynamo)	101,800	......	......
Baggage and Mail 60 ft.	97,800	......	......
“ “ 69 ft.	124,900	......	......
Baggage and Mail	......	97,800	78,800
Baggage and Passenger	......	......	66,800
Baggage—CM&StP	125,000	......	......
Express Refr.—NP RR	......	74,000	60,000
“ “ —GN RR	......	......	70,000
“ “ —ARE No. 40-154	......	78,000	......
“ “ — “ “ 155-224	......	89,000	......
“ “ — “ “ 500-506	......	110,000	......
“ “ — “ “ 1101-1175	......	85,000	......
“ “ —PFE “ 500-799	......	83,000	......
Tea and Silk	......	......	48,000
Express, Horse	130,000	......	96,200
Postal 40 ft.	71,800	......	......
Postal 60 ft.	113,800	......	......
Club	135,300	121,400	......
Business	178,500	141,600	114,200
Business—CM&StP	141,000	......	......
Chair	99,200	......	84,300
Coaches 60 ft.	101,200	......	......
“ 71 ft.	138,200	......	......
“ 72 ft.	119,900	......	......
“ CM&StP	133,000	......	......
Coaches	......	......	75,300
Dining	150,400	143,400	130,600
Observation	144,000	128,100	121,700
Pullman Observation	148,000	142,000	......
“ Parlor	150,000	142,000	......
“ Standard Sleeper	158,000	145,000	......
“ Tourist	......	133,000	......
CM&StP Tourist Sleeper	141,000	......	......

RATING OF LOCOMOTIVES—SACRAMENTO DIVISION—In M's of 1000 lbs. back of Tender.

Corrected to November 1926.

NOMINAL CLASS	OFFICIAL CLASS	ENGINE NUMBERS	Boiler Pressure	Sacramento and Gerber via Roseville	Roseville to Colfax Via Eastward Track	Colfax to Sparks Roseville to Colfax via Westward Track	Sparks to Truckee	Truckee to Summit	Davis and Gerber Davis and Marysville	Placerville to Folsom	Folsom to Placerville	Folsom to Sacramento	Sacramento to Folsom	Chico to Stirling City	Stirling City to Chico
E-2	E-69 18/24 59	1375	150	2210	....	....	....	....	1850	....	....	1930	1250	....	....
E-2	E-69 18/24 61	1376, 1381													
E-4	E-69 18/24 65	1398	160	2360	....	....	....	....	1980	....	....	2060	1340	....	....
E-5	E-69 18/24 69	1383, 1387, 1394, 1396, 1397, 1401	165	2430	....	....	....	....	2040	....	....	2120	1370	....	....
E-1	E-73 18/24 63	1432	160	2250	....	....	....	....	1890	....	....	1970	1280	....	....
E-23	E-73 20/24 92	1438 to 1458	190	3310	720	450	1160	530	2780	....	....	2890	1880	....	....
E-23	E-73 20/24 101 S	1438 to 1458	190	3430	750	470	1200	550	2890	1060	560	2990	1950	....	....
E-24	E-69 18/26 73	1459 to 1463	165	2580	....	....	....	....	2100	....	....	2260	1410	....	....
E-24	E-69 18/26 74	1464 to 1467, 1469, 1471													
E-25	E-69 18/26 72	1470, 1472, 1477, 1478	160	2510	....	....	....	....	2050	....	....	2190	1380	....	....
M-4	M-63 20/28 126	1615 to 1719	190	4280	1050	690	1630	800	3380	1240	780	3740	2300	....	....
M-4	M-63 20/28 128 S														
M-4	M-63 20/28 135 S														
M-6	M-63 21/28 150 S	1725 to 1769, 1780 to 1803	200	5260	1300	870	2020	1000	4160	1550	990	4610	2840	530	980
M-6	M-63 21/28 153 S	1823 to 1825													
M-9	M-63 21/28 156 S	1826, 1827	210	5540	1390	930	2140	1060	4390	1630	1050	4850	2990	570	1050
T-10	T-57 18/24 86	2135 to 2151	160	2780	....	....	....	....	2220	....	....	2430	1500	250	490
T-8	T-57 18/24 87	2174, 2176to2179, 2181, 2183													
T-2	T-63 20/26 105	2221 to 2234	160	2830	....	....	....	....	2310	....	....	2470	1560	220	460
T-1	T-63 20/28 112	2235 to 2273	180	3840	900	590	1420	680	3080	1110	700	3360	2090	240	480
T-25	T-69 26/28 134	2275 to 2280	200	4220	980	630	1550	730	3430	1180	720	3690	2320	250	490
T-26	T-69 21/28 152 S	2283 to 2300	200	4800	1150	750	1800	870	3900	1380	860	4230	2680	220	460
T-23	T-63 21/28 148 S	2301 to 2308, 2310	210	5550	1380	920	2130	1060	4400	1650	1060	4860	3000	370	700
T-23	T-63 21/28 144	2301 to 2308, 2310	200	4910	1240	820	1920	950	3950	1460	930	4380	2690	360	720
T-28	T-63 22/28 162 S	2311 to 2352	210	6060	1520	1020	2340	1160	4800	1800	1150	5310	3270	630	1150
T-32	T-69 23/28 174 S	2363 to 2370	200	5840	1420	940	2200	1080	4760	1690	1060	5120	3250	560	1040
T-32	T-69 23/28 174 S	2371 to 2384	210	6170	1470	970	2300	1120	5040	1800	1140	5400	3440	540	970
C-11	C-51 22/26 152	2502	180	5170	....	....	....	....	4050	1550	1000	4490	2770	550	1100
C-12	C-50 20/28 164	2503	190	4760	....	....	....	....	3720	1380	870	4160	2520	580	1080
C-9, 10	C-57 22/30 200 SF	2513 to 2599, 2752 to 2857	210	6660	1680	1130	2600	1290	5220	1980	1280	5790	3560	....	....
C-9, 10	C-57 22/30 194 S														
C-8	C-57 22/30 192 S	2698 to 2751													
C-5	C-57 22/30 187 S	2624 to 2679													
C-5	C-57 22/30 185 S	2680 to 2693													
C-5	C-57 22/30 180	2624 to 2679	200	5930	1460	970	2280	1110	4640	1750	1110	5140	3150	....	....
C-5	C-57 22/30 178	2680 to 2693													
C-2	C-57 22/34 180 S	2600 to 2611	190	6280	1620	1090	2490	1240	4910	1870	1210	5250	3350	680	1230
C-4	C-57 22/34 183 S	2612 to 2623													
C-2	C-57 22/34 172	2600 to 2611	185	5750	1460	970	2250	1110	4490	1700	1090	4800	3060	680	1230
C-4	C-57 22/34 176	2612 to 2623													
TW-1	TW-54 22/26 147	2900 to 2913	180	5070	1260	840	1960	960	3960	1490	950	4450	2690	500	950
TW-8	TW-54 21/32 161 S	2914 to 2923	190	5660	1430	960	2220	1100	4430	1680	1080	4730	3020	600	1120
TW-8	TW-54 21/32 155	2914 to 2923	180	5020	1260	840	1960	960	3920	1470	930	4190	2660	....	....
TW-4	TW-56 20/30 120	2928, 2930, 2931	160	3920	940	610	1480	710	3070	1160	740	3430	2090	400	740
Mk2	Mk57 23¾/30 206 S	3200 to 3215	210	7830	2000	1350	3050	1540	6130	2340	1520	6800	4190	....	....
Mk4	Mk57 23¾/30 206 S	3216 to 3240	200	7400	1890	1270	2900	1450	5760	2210	1430	6480	3920	....	....
Mk5, 6	Mk63 26/28 210 S	3241 to 3277	200	8000	2050	1380	3150	1570	6400	2400	1540	7070	4380	....	....
F-1	F-63 27½/32 273 S	3600 to 3652	200	8000	2420	1620	3650	1850	....	....	....	....	....	....	....
F-4, 5	F-63 29½/32 306/B-61 SF	3668 to 3763	200	8000	2730	1820	4150	2090	....	....	....	....	....	....	....
F-5	F-63 29½/32 306/B-62 SF	3764 to 3768													
MC-2	MC-57 $\frac{26-40}{30}$394	4000 to 4016	200	8000	3250	2200	4950	2500	....	....	....	....	....	....	....
MC-4	MC-57 $\frac{26-40}{30}$398	4017 to 4028													
MC-6	MC-57 $\frac{26-40}{30}$401 S	4029 to 4043													
MC-6	MC-57 $\frac{26-40}{30}$395 S	4044 to 4048													
MM-2	MM-63 $\frac{25-38}{28}$320	4200 to 4211	200	8000	2450	1630	3750	1870	....	....	....	....	....	....	....
MM-2	MM-63 $\frac{35-38}{28}$320 SF														
SP-1	SP-63 $\frac{28-32}{25}$316/B-60 SF	5000 to 5015	225	8000	3150	2100	4800	2400	....	....	....	....	....	....	....
SP-2	SP-63 $\frac{28-32}{25}$317/B-61 SF	5016 to 5038													
P-1, 3	P-77 22/28 141 S	2400 to 2437, 2459, 2460	210	4980	1140	730	1820	850	4080	1390	840	4350	2780	....	....
P-1, 3	P-77 22/28 148/B-58 SF	2400 to 2437	210	5350	1180	760	1900	880	4400	1440	870	4700	3000	....	....
P-1, 3	P-77 22/28 144/B-58 S	2400 to 2437													
Allowance for Empty and Under-loaded Cars		Less than 40 M's		6	6	3	6	3	0	3	3	6	6	6	6
		40 M's to 50 M's		3	3	0	3	0	3	0	0	3	3	3	3
		More than 50 M's		0	0	0	0	0	0	0	0	0	0	0	0

These ratings include the total weight of train, exclusive of engine and tender, which the different class of locomotives will haul in each direction between the stations shown.

CLASS "C"—Consolidation engine
"T"—Ten-wheelers
"MM"—Mallet Mogul
"M"—Moguls
"Mk"—Mikado
"TW"—Twelve-wheelers
"MC"—Mallet Consolidation
"MT"—Mountain Type
"E"—Eight-wheelers
"P"—Pacific Type
"F-5"—Two-ten-two Type
"SP,I"—Southern Pacific Type

Example.—Consolidation engine having 57-inch drivers, Cylinders 22-inch diameter and 30-inch stroke, and weighing 187,000 pounds on Drivers: C-57 $\frac{22}{30}$ 187

MILEAGE—Main Lines

	`		East-ward	West-ward
End of Western Division to East Bank of Sacramento River	E W	SPRR	.293	....
East Bank of Sacramento River to Sacramento	E W	CPRy	.135	....
Sacramento to End of Division at Lawton	E W	CPRy	148.847	....
End of Western Division to East Bank of Sacramento River	W W	SPRR	....	.293
Sacramento to Emigrant Gap	W W	CPRy	....	82.096
Andover to End of Division at Lawton	W W	CPRy	....	37.421
Brighton to End of Sacramento Division	....	CPRy	.867	....
Brighton to Elvas—East Leg of Wye	E W	CPRy	3.262	....
Elvas W. Leg of Wye towards Sacramento	E W	CPRy	.308	....
Brighton to Elvas—East Leg of Wye	W W	CPRy	....	3.223
Elvas—West Wye—Towards Brighton	W W	CPRy	....	.314
Davis to Tehama	....	SPRR	110.401	....
Roseville to End of Sacramento Division near Gerber	....	CPRy	105.916	....
Eastward	370.029			
Westward	123.347			
Total	493.376		370.029	123.347

MILEAGE—Branch Lines

Fair Oaks Branch	Citrus to Fair Oaks	SPRR	2.140
Folsom Jct. to Folsom		SPRR	.995
Placerville Branch	Brighton to Placerville	SPRR	54.938
Jct. Sw. near Marchant to	Karnack	SPCo	2.749
Sutter Basin	Grace to Josephine	SPCo	20.793
Colusa	Harrington to Wyo	SPRR	71.655
Fruto	Willows to Fruto	SPRR	17.204
Oroville	Binney Jct. to Oroville	SPRR	25.267
Stirling City	Chico to Stirling City	CPRy	31.216
Knights Landing Branch	Northern Jct. to Binney Jct.	SPRR SPCo	35.938 1.198
Walnut Grove	Sacramento to Walnut Grove	CPRy SPRR	24.724 .245
R St. Branch	Q St. Sacramento to Jct. Main Line via Niles	SPRR CPRy	4.941 .324
Lake Tahoe Br.	Truckee to Tahoe	....	14.700
Total			309.027

Total Eastward.......370.029
Total Westward.......123.347
Total Branch.......309.027
Total Sacramento Division.......802.403

RULING GRADES AND MAXIMUM CURVES

DISTRICTS		Per Cent Grade	Degree Maximum Curve	Per Cent Equivalent Grade
Sacramento	to Elvas	0.30	8°	0.64
Elvas	to Sacramento	0.22	8°	0.53
Elvas	to Roseville	0.40	6°30'	0.65
Roseville	to Elvas	0.39	6°30'	0.54
Roseville	to Colfax	1.50	4°	1.66
Colfax	to Roseville	0.22	10°12'	0.64
Colfax	to Blue Canon	2.42	10°30'	2.83
Blue Canon	to Colfax	0.30	10°30'	0.71
Blue Canon	to Truckee	2.20	10°20'	2.60
Truckee	to Blue Canon	2.04	10°20'	2.45
Truckee	to Sparks	0 26	9°	0.62
Sparks	to Truckee	1.00	9°	1.36
Roseville	to Gerber	0.81	8°46'	1.14
Gerber	to Roseville	0.76	8°46'	1.10
Davis	to Tehama	1.00	5°	1.20
Tehama	to Davis	0.73	5°	0.93

TRAINMASTERS.

J. LORD	SACRAMENTO, CAL.
C. C. FISHER	SACRAMENTO, CAL.
E. F. NASSOIY	ROSEVILLE, CAL.
M. L. JENNINGS	ROSEVILLE, CAL.
T. W. CARDWELL, Assistant Trainmaster	TRUCKEE, CAL.

EXAMINER.

E. D. LOWELL	SACRAMENTO, CAL.

O. T. STACKPOOLE,	Chief Train Dispatcher	SACRAMENTO, CAL.
D. A. NEELLEY,	Assistant Chief Train Dispatcher	SACRAMENTO, CAL.
C. N. JONES,	Assistant Chief Train Dispatcher	SACRAMENTO, CAL.

ROAD FOREMEN OF ENGINES.

C. A. FOGUS	SACRAMENTO, CAL.
J. B. STARBUCK	ROSEVILLE, CAL.

W. M. STILLMAN, Assistant Superintendent.


CALIFORNIA
NEVADA
TEHAMA
GLENN
BUTTE
PLUMAS
LASSEN
SIERRA
YUBA
NEVADA
PLACER
EL DORADO
SUTTER
COLUSA
YOLO
LAKE
NAPA
SONOMA
SOLANO
SACRAMENTO
AMADOR
CALAVERAS
SAN JOAQUIN
WASHOE
STOREY
ORMSBY
DOUGLAS
LYON
CHURCHILL
PERSHING
MINERAL
CALIFORNIA NATIONAL FOREST
PLUMAS NATIONAL FOREST
TAHOE NATIONAL FOREST
PYRAMID LAKE
PYRAMID LAKE INDIAN RESERVATION
WINNEMUCCA LAKE
HONEY LAKE
LAKE TAHOE
CLEAR LAKE
RED BLUFF
GERBER
TEHAMA
CHICO
HAMILTON
WILLOWS
FRUTO
STIRLING CITY
OROVILLE
MARYSVILLE
YUBA CITY
BINNEY JCT
COLUSA
HARRINGTON
WOODLAND
DAVIS
SACRAMENTO
ROSEVILLE
FOLSOM
AUBURN
COLFAX
NEVADA CITY
PLACERVILLE
TRUCKEE
RENO
SPARKS
CARSON CITY
VIRGINIA CITY
FERNLEY
HAZEN
CHURCHILL
CALISTOGA
NAPA
NAPA JCT
SANTA ROSA
PETALUMA
SONOMA
ELMIRA
SUISUN FAIRFIELD
WALNUT GROVE
GALT
IONE
JACKSON
VALLEY SPRING
SAN ANDREAS
CASTLE PEAK 9139 Ft.
SIGNAL PEAK 7860 Ft.
DEVILS PEAK 7700 Ft.
TINKERS KNOB 9020 Ft.
MT. ROSE 10800 Ft.
PYRAMID PEAK 10020 FT.
MARYSVILLE BUTTES 2132 Ft.
SALT LAKE DIV.
WESTERN DIVISION
SHASTA DIVISION
Western Pacific R.R.
Revised 12 20 25

MAP
OF THE
SACRAMENTO DIVISION
SOUTHERN PACIFIC COMPANY

June, 1919

JFM

SCALE OF MILES

0 5 10 20 30